Index to volume 89

Author index*

A

Abdo OS (*see* Kopp et al). 2003;89:611-5
Agar JR, Colman AJ. Easy retrieval of matrix attachments from removable prostheses. 2003;89:418
Albakry M, Guazzato M, Swain MV. Biaxial flexural strength, elastic moduli, and x-ray diffraction characterization of three pressable all-ceramic materials. 2003;89:374-80
Alfaro MA (*see* Claman et al). 2003;89:1-5
Aminian A, Brunton PA. A comparison of the depths produced using three different tooth preparation techniques. 2003;89:19-22
Amis AA (*see* Elias et al). 2003;89:286-91
Amorim VCP, Laganá DC, de Paula Eduardo JV, Zanetti AL. Analysis of the condyle/fossa relationship before and after prosthetic rehabilitation with maxillary complete denture and mandibular removable partial denture. 2003;89:508-14
Anderson JD (*see* Kubon and Anderson). 2003;89:97-101
Andres C (*see* Paez et al). 2003;89:341-3
Andres CJ (*see* Van Derhei et al). 2003;89:15-8
Arbree NS (*see* Chaimattayompol and Arbree). 2003;89:82-5
Arch GH Jr (*see* Blatz et al). 2003;89:381-7
Arellano-Cabornero A (*see* Iglesia-Puig and Arellano-Cabornero). 2003;89:443-5
Assif D, Nissan J, Gafni Y, Gordon M. Assessment of the resistance to fracture of endodontically treated molars restored with amalgam. 2003;89:462-5
Atsuta M (*see* Fujii et al). 2003;89:420-1
Attar N, Tam LE, McComb D. Mechanical and physical properties of contemporary dental luting agents. 2003;89:127-34
Attard NJ, Zarb GA. Implant prosthodontic management of partially edentulous patients missing posterior teeth: the Toronto experience. 2003;89:352-9
Aw TC (*see* Schwedhelm et al). 2003;89:89-90
Aykent F (*see* Ozturk and Aykent). 2003;89:275-81

B

Bahillo JDG (*see* Varela et al). 2003;89:146-53
Bailey DK (*see* Pannes et al). 2003;89:66-9
Barco T (*see* Paez et al). 2003;89:341-3
Bataglion A (*see* Hotta et al). 2003;89:536-9
Bataglion C (*see* Hotta et al). 2003;89:536-9
Bayne SC, McGivney GP, Mazer SC. Scientific composition and review of manuscripts for publication in peer-reviewed dental journals. 2003;89:201-18
Becker J (*see* Szep et al). 2003;89:161-9
Bedard J-F, Thongthammachat S, Toljanic JA. Adjunctive commissure splint therapy: a revised approach. 2003;89:408-11
Belser UC (*see* Magne et al). 2003;89:453-61
Belser UC (*see* Scherrer et al). 2003;89:579-88
Bernhardt O, Küppers N, Rosin M, Meyer G. Comparative tests of arbitrary and kinematic transverse horizontal axis recordings of mandibular movements. 2003;89:175-9
Bezzon OL (*see* Hotta et al). 2003;89:536-9
Billy E (*see* Newman et al). 2003;89:360-7
Biskin T (*see* Turker and Biskin). 2003;89:466-73
Blatz MB, Sadan A, Arch GH Jr, Lang BR. In vitro evaluation of long-term bonding of Procera AllCeram alumina restorations with a modified resin luting agent. 2003;89:381-7
Blatz MB, Sadan A, Kern M. Resin-ceramic bonding: a review of the literature. 2003;89:268-74
Bonilla ED, Yashar M, Caputo AA. Fracture toughness of nine flowable resin composites. 2003;89:261-7
Borges GA, Sophr AM, de Goes MF, Sobrinho LC, Chan DCN. Effect of etching and airborne particle abrasion on the microstructure of different dental ceramics. 2003;89:479-88
Börnichen D (*see* Szep et al). 2003;89:161-9
Braun KO (*see* de Mello et al). 2003;89:598-602
Brosky ME, Korioth TWP, Hodges J. The anterior cantilever in the implant-supported screw-retained mandibular prosthesis. 2003;89:244-9
Brunton PA (*see* Aminian and Brunton). 2003;89:19-22
Bryant SR, Zarb GA. Crestal bone loss proximal to oral implants in older and younger adults. 2003;89:589-97
Burke FM (*see* Lynch and Burke). 2003;89:616-7
Burns J, Palmer R, Howe L, Wilson R. Accuracy of open tray implant impressions: an in vitro comparison of stock versus custom trays. 2003;89:250-5

C

Cahoon MA, Elton WC. A method for fabricating a surgical template after denture fabrication. 2003;89:424
Cal E (*see* Dundar et al). 2003;89:327-30
Camacho GB (*see* Mota et al). 2003;89:558-64
Camisa C (*see* Esposito et al). 2003;89:6-10
Canay S, Çehreli MC. The effect of current bleaching agents on the color of light-polymerized composites in vitro. 2003;89:474-8
Caputi S (*see* Varvara et al). 2003;89:123-6
Caputo AA (*see* Bonilla et al). 2003;89:261-7
Caputo AA (*see* Ochiai et al). 2003;89:495-502
Cardash HS, Ormanier Z, Laufer B-Z. Observable deviation of the facial and anterior tooth midlines. 2003;89:282-5
Cardash HS (*see* Gilboa and Cardash). 2003;89:221-2
Çehreli MC (*see* Canay and Çehreli). 2003;89:474-8
Chaimattayompol N, Arbree NS. Assessing the space limitation inside a complete denture for implant attachments. 2003;89:82-5
Chan DCN. Technique for repair of multiple abutment teeth under preexisting crowns. 2003;89:91-92
Chan DCN (*see* Borges et al). 2003;89:479-88
Cherukara GP, Seymour KG, Zou L, Samarawickrama DYD. Geographic distribution of porcelain veneer preparation depth with various clinical techniques. 2003;89:544-50
Chidiac JJ (*see* Naffah and Chidiac). 2003;89:522-3
Chigurupati K (*see* Shor et al). 2003;89:515-7
Chingbingyong MI (*see* Dumbrigue and Chingbingyong). 2003;89:76-8
Chow TW (*see* Chung et al). 2003;89:446-9
Chu FCS (*see* Chung et al). 2003;89:446-9

*January, 1-108; February, 109-226; March 227-326; April, 327-426; May, 427-526; June, 527-644.

Chung RWC, Siu ASC, Chu FCS, Chow TW. Magnet-retained auricular prosthesis with an implant-supported composite bar: a clinical report. 2003;89:446-9
Ciancaglini R, Gherlone E, Radaelli G. Unilateral temporomandibular disorder and asymmetry of occlusal contacts. 2003;89:180-5
Claman L, Alfaro MA, Mercado A. An interdisciplinary approach for improved esthetic results in the anterior maxilla. 2003;89:1-5
Clark GT (*see* Nishigawa et al). 2003;89:412-7
Clark RKF (*see* Keenan et al). 2003;89:37-44
Cobb GW Jr, Metcalf AM, Parsell D, Reeves GW. An alternate treatment method for a fixed-detachable hybrid prosthesis: a clinical report. 2003;89:239-43
Colman AJ (*see* Agar and Colman). 2003;89:418
Cordioli G (*see* Vigolo et al). 2003;89:186-92
Çötert HS (*see* Cura et al). 2003;89:394-9
Cotert HS (*see* Cura et al). 2003;89:540-3
Coto-Hunziker V (*see* Scherrer et al). 2003;89:579-88
Csempesz F, Vág J, Fazekas Á. In vitro kinetic study of absorbency of retraction cords. 2003;89:45-9
Cura C, Cotert HS, User A. Fabrication of a sectional impression tray and sectional complete denture for a patient with microstomia and trismus: a clinical report. 2003;89:540-3
Cura C, Saraçolu A, Çötert HS. Effect of different bonding agents on shear bond strengths of composite-bonded porcelain to enamel. 2003;89:394-9

D

de Goes MF (*see* Borges et al). 2003;89:479-88
Del Bel Cury AA (*see* Garcia et al). 2003;89:489-94
Del Bel Cury AA (*see* de Mello et al). 2003;89:598-602
Demarco FF (*see* Mota et al). 2003;89:558-64
de Mattos MdGC (*see* Tarozzo et al). 2003;89:572-8
de Mello JAN, Braun KO, Rached RN, Cury AADB. Reducing the negative effects of chemical polishing in acrylic resins by use of an additional cycle of polymerization. 2003;89:598-602
Dennison J (*see* Newman et al). 2003;89:360-7
de Paula Eduardo JV (*see* Amorim et al). 2003;89:508-14
de Sa e Frias VV (*see* Piro and de Sa e Frias). 2003;89:219-20
Donadio M (*see* Meiers et al). 2003;89:388-93
dos Reis AC (*see* Hotta et al). 2003;89:536-9
dos Santos J Jr, Nelson S, Nowlin T. Comparison of condylar guidance setting obtained from a wax record versus an extraoral tracing: a pilot study. 2003;89:54-9
Dumbrigue HB. Composite indirect-direct method for fabricating multiple-unit provisional restorations. 2003;89:86-8
Dumbrigue HB, Chingbingyong MI. A new method for recording and reproducing cast orientation on a survey table. 2003;89:76-8
Dundar M, Gungor MA, Cal E. Multidisciplinary approach to restoring anterior maxillary partial edentulous area using an IPS Empress 2 fixed partial denture: a clinical report. 2003;89:327-30

E

Eckert SE (*see* Hecker and Eckert). 2003;89:346-51
Elias K, Amis AA, Setchell DJ. The magnitude of cutting forces at high speed. 2003;89:286-91
Elton WC (*see* Cahoon and Elton). 2003;89:424
Esposito P (*see* Varvara et al). 2003;89:123-6
Esposito SJ, Camisa C, Morgan M. Implant retained overdentures for two patients with severe lichen planus: a clinical report. 2003;89:6-10
Ettinger RL (*see* Hong et al). 2003;89:28-36

F

Fazekas Á (*see* Csempesz et al). 2003;89:45-9
Ferguson GC (*see* Zidan and Ferguson). 2003;89:565-71
Finkelstein Y (*see* Shifman and Finkelstein). 2003;89:450-2
Fisher DW (*see* Shillingburg et al). 2003;89:527-32
Forte RA (*see* Wiens et al). 2003;89:11-4
Franchini F (*see* Varvara et al). 2003;89:123-6
Frazier KB (*see* Ivanhoe et al). 2003;89:292-6
Fuhrer N (*see* Lewinstein et al). 2003;89:70-5
Fujii T, Kamada K, Atsuta M. A procedure for re-forming the labial flange of the maxillary denture. 2003;89:420-1
Funk JJ (*see* Pigno and Funk). 2003;89:119-22

G

Gafni Y (*see* Assif et al). 2003;89:462-5
Gallucci GO (*see* Magne et al). 2003;89:453-61
Gamer S, Tuch R, Garcia LT. M. M. House mental classification revisited: intersection of particular patient types and particular dentist's needs. 2003;89:297-302
Ganor Y (*see* Lewinstein et al). 2003;89:70-5
Ganor Y (*see* Lewinstein et al). 2003;89:227-31
Garcia LT (*see* Gamer et al). 2003;89:297-302
Garcia RCMR, Léon BLT, Oliveira VMB, Del Bel Cury AA. Effect of a denture cleanser on weight, surface roughness and tensile bond strength of two resilient denture liners. 2003;89:489-94
Gardner LK (*see* Parr and Gardner). 2003;89:608-10
Gebelein M, Richter G, Range U, Reitemeier B. Dimension changes of one-piece frameworks cast from titanium, base metal, or noble metal alloys and supported on telescopic crowns. 2003;89:193-200
Gedik H (*see* Kulak-Ozkan et al). 2003;89:303-10
Gerhardt T (*see* Szep et al). 2003;89:161-9
Gherlone E (*see* Ciancaglini et al). 2003;89:180-5
Giampaolo ET, Machado AL, Pavarina AC, Vergani CE. Different methods of finishing and polishing enamel. 2003;89:135-40
Gilboa I, Cardash HS. A conservative technique for restoring a tooth affected by interproximal root caries. 2003;89:221-2
Glavas P, Moses MS. Stage I indexing to replace a failed implant in an edentulous arch. 2003;89:533-5
Gordon M (*see* Assif et al). 2003;89:462-5
Goto Y (*see* Shor et al). 2003;89:515-7
Green LK, Hondrum SO. The effect of design modifications on the torsional and compressive rigidity of U-shaped palatal major connectors. 2003;89:400-7
Grube L (*see* Pfeiffer and Grube). 2003;89:170-4
Guazzato M (*see* Albakry et al). 2003;89:374-80
Gungor MA (*see* Dundar et al). 2003;89:327-30
Gunne J (*see* Takahashi and Gunne). 2003;89:256-60

H

Hahn L (*see* Szep et al). 2003;89:60-5
Hammad IA. Intrarater repeatability of shade selections with two shade guides. 2003;89:50-3
Haywood VB (*see* Ivanhoe et al). 2003;89:292-6
Hecker DM. Maxillofacial rehabilitation of a large facial defect resulting from an arteriovenous malformation utilizing a two-piece prosthesis. 2003;89:109-13
Hecker DM, Eckert SE. Cyclic loading of implant-supported prostheses: changes in component fit over time. 2003;89:346-51
Heidemann D (*see* Szep et al). 2003;89:60-5
Heidemann D (*see* Szep et al). 2003;89:161-9
Henningson C (*see* Kronström et al). 2003;89:335-40
Hobo S (*see* Shillingburg et al). 2003;89:527-32
Hodges J (*see* Brosky et al). 2003;89:244-9
Hondrum SO (*see* Green and Hondrum). 2003;89:400-7
Hong H-H (*see* Peng et al). 2003;89:422-3
Hong L, Ettinger RL, Watkins CA, Wefel JS. In vitro evaluation of fluoride varnish on overdenture abutments. 2003;89:28-36

Hosokawa R (*see* Sato et al). 2003;89:503-7
Hotta TH, Vicente MFR, dos Reis AC, Bezzon OL, Bataglion C, Bataglion A. Combination therapies in the treatment of temporomandibular disorders: a clinical report. 2003;89:536-9
Howe L (*see* Burns et al). 2003;89:250-5

I

Iglesia-Puig MA, Arellano-Cabornero A. Inlay fixed partial denture as a conservative approach for restoring posterior missing teeth: a clinical report. 2003;89:443-5
Ivanhoe JR, Frazier KB, Parr GR, Haywood VB. The teaching and treatment of upper airway sleep disorders in North American dental schools. 2003;89:292-6

J

Jones JD (*see* Kaiser and Jones). 2003;89:344-5

K

Kaiser DA, Jones JD. Proximal contour modifications for fixed partial dentures: a clinical report. 2003;89:344-5
Kamada K (*see* Fujii et al). 2003;89:420-1
Kazemi RB (*see* Meiers et al). 2003;89:388-93
Keenan PLJ, Radford DR, Clark RKF. Dimensional change in complete dentures fabricated by injection molding and microwave processing. 2003;89:37-44
Kern M (*see* Blatz et al). 2003;89:268-74
Knowles J (*see* Webber et al). 2003;89:154-60
Kokubo Y, Shimoda S. Nondestructive examination of all-ceramic fixed partial denture with microcomputed tomography. 2003;89:324
Kondo K (*see* Nishigawa et al). 2003;89:412-7
Kopp KC, Koslow AH, Abdo OS. Predictable implant placement with a diagnostic/surgical template and advanced radiographic imaging. 2003;89:611-5
Koretake K (*see* Sato et al). 2003;89:503-7
Korioth TWP (*see* Brosky et al). 2003;89:244-9
Koslow AH (*see* Kopp et al). 2003;89:611-5
Kronström M, Widbom T, Löfquist LE, Henningson C, Widbom C, Lundberg T. Early functional loading of conical Brånemark implants in the edentulous mandible: a 12-month follow-up clinical report. 2003;89:335-40
Krug RS. Metal framework modifications to accommodate wrought wire clasps in distal extension removable partial dentures. 2003;89:79-81
Ku Y-C, Shen Y-F. Modified double gloving technique for extra finger protection in prosthodontic treatment. 2003;89:618
Kubon TM, Anderson JD. An implant-retained auricular impression technique to minimize soft tissue distortion. 2003;89:97-101
Kulak-Ozkan Y, Sertgoz A, Gedik H. Effect of thermocycling on tensile bond strength of six silicone-based, resilient denture liners. 2003;89:303-10
Kuo S-B (*see* Peng et al). 2003;89:422-3
Küppers N (*see* Bernhardt et al). 2003;89:175-9

L

Laganá DC (*see* Amorim et al). 2003;89:508-14
Lane DA, Randall RC, Lane NS, Wilson NHF. A clinical trial to compare double-arch and complete-arch impression techniques in the provision of indirect restorations. 2003;89:141-5
Lane NS (*see* Lane et al). 2003;89:141-5
Lang BR (*see* Blatz et al). 2003;89:381-7
Langner N (*see* Szep et al). 2003;89:161-9
Laufer B-Z (*see* Cardash et al). 2003;89:282-5
Léon BLT (*see* Garcia et al). 2003;89:489-94
Lepe X (*see* Schwedhelm et al). 2003;89:89-90
Lewinstein I, Fuhrer N, Ganor Y. Effect of a fluoride varnish on the margin leakage and retention of luted provisional crowns. 2003;89:70-5
Lewinstein I, Ganor Y, Pilo R. Abutment positioning in a cantilevered shortened dental arch: a clinical report and static analysis. 2003;89:227-31
Liljeström M-R, Närhi TO. Occlusal rehabilitation of a patient with hereditary multicentric osteolysis. 2003;89:114-8
Lim WC (*see* Van Derhei et al). 2003;89:15-8
Löfquist LE (*see* Kronström et al). 2003;89:335-40
Lombardero PR (*see* Varela et al). 2003;89:146-53
Lundberg T (*see* Kronström et al). 2003;89:335-40
Lynch CD, Burke FM. A locating impression technique for optimal positioning of precision attachments for removable partial dentures. 2003;89:616-7

M

Machado AL (*see* Giampaolo et al). 2003;89:135-40
Machi H (*see* Yonehata et al). 2003;89:23-7
Maeda Y (*see* Yonehata et al). 2003;89:23-7
Magne P, Gallucci GO, Belser UC. Anatomic crown width/length ratios of unworn and worn maxillary teeth in white subjects. 2003;89:453-61
Majzoub Z (*see* Vigolo et al). 2003;89:186-92
Marcucci B. A shade selection technique. 2003;89:518-21
Markt JC. Implant prosthodontic rehabilitation of a patient with nevoid basal cell carcinoma syndrome: a clinical report. 2003;89:436-42
Mazer SC (*see* Bayne et al). 2003;89:201-18
McComb D (*see* Attar et al). 2003;89:127-34
McDonald A (*see* Webber et al). 2003;89:154-60
McGivney GP (*see* Bayne et al). 2003;89:201-18
Meiers JC, Kazemi RB, Donadio M. The influence of fiber reinforcement of composites on shear bond strengths to enamel. 2003;89:388-93
Mercado A (*see* Claman et al). 2003;89:1-5
Metcalf AM (*see* Cobb et al). 2003;89:239-43
Meyer G (*see* Bernhardt et al). 2003;89:175-9
Mirfazaelian A (*see* Siadat and Mirfazaelian). 2003;89:323
Monaco EJ (*see* Psichogios and Monaco). 2003;89:319-22
Morgan M (*see* Esposito et al). 2003;89:6-10
Moses MS (*see* Glavas and Moses). 2003;89:533-5
Mota CS, Demarco FF, Camacho GB, Powers JM. Tensile bond strength of four different bonded resin cements to bovine enamel and dentin. 2003;89:558-64

N

NaBadalung DP. Prosthetic rehabilitation of a total rhinectomy patient resulting from squamous cell carcinoma of the nasal septum: a clinical report. 2003;89:234-8
Naffah N, Chidiac JJ. Removing crowns with minimal damage. 2003;89:522-3
Närhi TO (*see* Liljeström and Närhi). 2003;89:114-8
NejatiDanesh F (*see* Savabi and NejatiDanesh). 2003;89:419
Nelson S (*see* dos Santos et al). 2003;89:54-9
Newman MP, Yaman P, Dennison J, Rafter M, Billy E. Fracture resistance of endodontically treated teeth restored with composite posts. 2003;89:360-7
Nishigawa K, Kondo K, Takeuchi H, Clark GT. Contingent electrical lip stimulation for sleep bruxism: a pilot study. 2003;89:412-7
Nishimura RD (*see* Ochiai et al). 2003;89:495-502
Nissan J (*see* Assif et al). 2003;89:462-5
Nowlin T (*see* dos Santos et al). 2003;89:54-9

O

Ochiai KT, Ozawa S, Caputo AA, Nishimura RD. Photoelastic stress analysis of implant-tooth connected prostheses with segmented and nonsegmented abutments. 2003;89:495-502
Öütcen-Toller M. Sound analysis of temporomandibular joint internal derangements with phonographic recordings. 2003;89:311-8
Oliveira VMB (*see* Garcia et al). 2003;89:489-94
Ormanier Z (*see* Cardash et al). 2003;89:282-5
Ozawa S (*see* Ochiai et al). 2003;89:495-502
Ozturk N, Aykent F. Dentin bond strengths of two ceramic inlay sysetms after cementation with three different techniques and one bonding system. 2003;89:275-81

P

Paez CY, Barco T, Roushdy S, Andres C. Split-frame implant prosthesis designed to compensate for mandibular flexure: a clinical report. 2003;89:341-3
Palmer R (*see* Burns et al). 2003;89:250-5
Pannes DD, Bailey DK, Thompson JY, Pietz DM. Orthodontic bonding to porcelain: a comparison of bonding systems. 2003;89:66-9
Park SA (*see* Varela et al). 2003;89:146-53
Parr GR, Gardner LK. The evolution of the obturator framework design. 2003;89:608-10
Parr GR (*see* Ivanhoe et al). 2003;89:292-6
Parsell D (*see* Cobb et al). 2003;89:239-43
Pavarina AC (*see* Giampaolo et al). 2003;89:135-40
Peng Y-C, Kuo S-B, Shen Y-F, Hong H-H. Use of impression cap to retract peri-implant mucosa before cementation of ITI abutment. 2003;89:422-3
Perinetti G (*see* Varvara et al). 2003;89:123-6
Pfeiffer P, Grube L. In vitro resistance of reinforced interim fixed partial dentures. 2003;89:170-4
Pietz DM (*see* Pannes et al). 2003;89:66-9
Pigno MA, Funk JJ. Prosthetic management of a total glossectomy defect after free flap reconstruction in an edentulous patient: a clinical report. 2003;89:119-22
Pilo R (*see* Lewinstein et al). 2003;89:227-31
Piro JD, de Sa e Frias VV. A techique for cast duplication. 2003;89:219-20
Powers JM (*see* Mota et al). 2003;89:558-64
Proussaefs P. Histologic evaluation of an immediately loaded titanium provisional implant retrieved after functioning for 18 months: a clinical report. 2003;89:331-4
Psichogios PC, Monaco EJ. Expedient direct approach for esthetic and functional provisional restorations. 2003;89:319-22

R

Rábade LB (*see* Varela et al). 2003;89:146-53
Rached RN (*see* de Mello et al). 2003;89:598-602
Radaelli G (*see* Ciancaglini et al). 2003;89:180-5
Radford DR (*see* Keenan et al). 2003;89:37-44
Rafter M (*see* Newman et al). 2003;89:360-7
Randall RC (*see* Lane et al). 2003;89:141-5
Range U (*see* Gebelein et al). 2003;89:193-200
Reeves GW (*see* Cobb et al). 2003;89:239-43
Reitemeier B (*see* Gebelein et al). 2003;89:193-200
Ribeiro RF (*see* Tarozzo et al). 2003;89:572-8
Richter G (*see* Gebelein et al). 2003;89:193-200
Rosin M (*see* Bernhardt et al). 2003;89:175-9
Roushdy S (*see* Paez et al). 2003;89:341-3

S

Sadan A (*see* Blatz et al). 2003;89:268-74
Sadan A (*see* Blatz et al). 2003;89:381-7
Sadig WM. Special technique for attachment incorporation with an implant overdenture. 2003;89:93-6
Sakaguchi RL (*see* Yonchata et al). 2003;89:23-7
Samarawickrama DYD (*see* Cherukara et al). 2003;89:544-50
Saraçolu A (*see* Cura et al). 2003;89:394-9
Sato Y, Shindoi N, Koretake K, Hosokawa R. The effect of occlusal rest size and shape on yield strength. 2003;89:503-7
Savabi O, NejatiDanesh F. A method for fabrication of temporary restoration on solid abutment of ITI implants. 2003;89:419
Scherrer SS, Wiskott AHW, Coto-Hunziker V, Belser UC. Monotonic and fatigue strength of composites for provisional and definitive restorations. 2003;89:579-88
Schmid C (*see* Szep et al). 2003;89:60-5
Schriever A (*see* Szep et al). 2003;89:161-9
Schulz C (*see* Szep et al). 2003;89:161-9
Schwedhelm ER, Lepe X, Aw TC. A crown venting technique for the cementation of implant-supported crowns. 2003;89:89-90
Semprini M (*see* Tarozzo et al). 2003;89:572-8
Sertgoz A (*see* Kulak-Ozkan et al). 2003;89:303-10
Setchell DJ (*see* Elias et al). 2003;89:286-91
Seymour KG (*see* Cherukara et al). 2003;89:544-50
Shen Y-F (*see* Peng et al). 2003;89:422-3
Shen Y-F (*see* Ku and Shen). 2003;89:618
Shifman A, Finkelstein Y. Rhinorrhea induced by loading of dental implants supporting an obturator prosthesis: a clinical report. 2003;89:450-2
Shillingburg HT Jr, Hobo S, Fisher DW. Preparation design and margin distortion in porcelain-fused-to-metal restorations. 2003;89:527-32
Shimoda S (*see* Kokubo and Shimoda). 2003;89:324
Shindoi N (*see* Sato et al). 2003;89:503-7
Shohat I, Shoshani Y, Taicher S. Fracture of the genial tubercles associated with a mandibular denture: a clinical report. 2003;89:232-3
Shor A, Chigurupati K, Goto Y. A denture tooth position index fabricated with light-polymerized acrylic resin. 2003;89:515-7
Shoshani Y (*see* Shohat et al). 2003;89:232-3
Siadat H, Mirfazaelian A. A handle for facial casts. 2003;89:323
Siu ASC (*see* Chung et al). 2003;89:446-9
Sixto JML (*see* Varela et al). 2003;89:146-53
Sobrinho LC (*see* Borges et al). 2003;89:479-88
Sophr AM (*see* Borges et al). 2003;89:479-88
St-Georges AJ, Sturdevant JR, Swift EJ Jr, Thompson JY. Fracture resistance of prepared teeth restored with bonded inlay restorations. 2003;89:551-7
Sturdevant JR (*see* St-Georges et al). 2003;89:551-7
Swain MV (*see* Albakry et al). 2003;89:374-80
Swift EJ Jr (*see* St-Georges et al). 2003;89:551-7
Szep S, Langner N, Börnichen D, Schulz C, Gerhardt T, Schriever A, Becker J, Heidemann D. Comparison of microleakage on one composite etched with phosphoric acid or a combination of phosphoric and hydrofluoric acids and bonded with several different systems. 2003;89:161-9
Szep S, Schmid C, Weigl P, Hahn L, Heidemann D. Effect of the silicone disclosing procedure on the shear bond strength of composite cements to ceramic restorations. 2003;89:60-5

T

Taicher S (*see* Shohat et al). 2003;89:232-3
Takahashi T, Gunne J. Fit of implant frameworks: an in vitro comparison between two fabrication techniques. 2003;89:256-60
Takeuchi H (*see* Nishigawa et al). 2003;89:412-7
Tallgren A. The continuing reduction of the residual alveolar ridges in complete denture wearers: a mixed-longitudinal study covering 25 years. 2003;89:427-35
Tam LE (*see* Attar et al). 2003;89:127-34

Tarozzo LSA, de Mattos MdGC, Ribeiro RF, Semprini M. Comparison of retentive systems for composites used as alternatives to porcelain in fixed partial dentures. 2003;89:572-8
Thompson JY (*see* Pannes et al). 2003;89:66-9
Thompson JY (*see* St-Georges et al). 2003;89:551-7
Thongthammachat S (*see* Bedard et al). 2003;89:408-11
Timmerman RD (*see* Van Derhei et al). 2003;89:15-8
Toksavul S (*see* Ulusoy and Toksavul). 2003;89:223-4
Toljanic JA (*see* Bedard et al). 2003;89:408-11
Tuch R (*see* Gamer et al). 2003;89:297-302
Turker S, Biskin T. Effect of three bleaching agents on the surface properties of three different esthetic restorative materials. 2003;89:466-73

U

Ulusoy M, Toksavul S. Preventing aspiration or ingestion of fixed restorations. 2003;89:223-4
User A (*see* Cura et al). 2003;89:540-3

V

Vág J (*see* Csempesz et al). 2003;89:45-9
Van Derhei PM, Lim WC, Timmerman RD, Andres CJ. Use of computed tomography for the fabrication of a custom brachytherapy carrier: a clinical report. 2003;89:15-8
Varela SG, Rábade LB, Lombardero PR, Sixto JML, Bahillo JDG, Park SA. In vitro study of endodontic post cementation protocols that use resin cements. 2003;89:146-53
Varvara G, Esposito P, Franchini F, Perinetti G, Caputi S. A positioning device for computed tomography: a clinical report. 2003;89:123-6
Vergani CE (*see* Giampaolo et al). 2003;89:135-40
Vicente MFR (*see* Hotta et al). 2003;89:536-9
Vigolo P, Majzoub Z, Cordioli G. Evaluation of the accuracy of three techniques used for multiple implant abutment impressions. 2003;89:186-92

W

Watkins CA (*see* Hong et al). 2003;89:28-36
Webber B, McDonald A, Knowles J. An in vitro study of the compressive load at fracture of Procera AllCeram crowns with varying thickness of veneer porcelain. 2003;89:154-60
Wefel JS (*see* Hong et al). 2003;89:28-36
Weigl P (*see* Szep et al). 2003;89:60-5
Widbom C (*see* Kronström et al). 2003;89:335-40
Widbom T (*see* Kronström et al). 2003;89:335-40
Wiens JL, Forte RA, Wiens JP. The use of distraction osteogenesis to treat hemifacial microsomia: a clinical report. 2003;89:11-4
Wiens JP (*see* Wiens et al). 2003;89:11-4
Wilson NHF (*see* Lane et al). 2003;89:141-5
Wilson R (*see* Burns et al). 2003;89:250-5
Wiskott AHW (*see* Scherrer et al). 2003;89:579-88

Y

Yaman P (*see* Newman et al). 2003;89:360-7
Yashar M (*see* Bonilla et al). 2003;89:261-7
Yonehata Y, Maeda Y, Machi H, Sakaguchi RL. The influence of working cast residual moisture and temperature on the fit of vacuum-forming athletic mouth guards. 2003;89:23-7
Yu-Xing Z (*see* Zhi-Yue and Yu-Xing). 2003;89:368-73

Z

Zanetti AL (*see* Amorim et al). 2003;89:508-14
Zarb GA (*see* Attard and Zarb). 2003;89:352-9
Zarb GA (*see* Bryant and Zarb). 2003;89:589-97
Zhi-Yue L, Yu-Xing Z. Effects of post-core design and ferrule on fracture resistance of endodontically treated maxillary central incisors. 2003;89:368-73
Zidan O, Ferguson GC. The retention of full crowns prepared with three different tapers and luted with four different cements. 2003;89:565-71
Zou L (*see* Cherukara et al). 2003;89:544-50
Zuckerman GR. A reliable method for securing anterior denture teeth in denture bases. 2003;89:603-7

Index to volume 89

Subject index*

A

Abnormalities

Maxillofacial rehabilitation of a large facial defect resulting from an arteriovenous malformation utilizing a two-piece prosthesis (Hecker). 2003;89:109-13

Prosthetic management of a total glossectomy defect after free flap reconstruction in an edentulous patient: a clinical report (Pigno and Funk). 2003;89:119-22

Abrasion

Effect of etching and airborne particle abrasion on the microstructure of different dental ceramics (Borges et al). 2003;89:479-88

Abutments

Abutment positioning in a cantilevered shortened dental arch: a clinical report and static analysis (Lewinstein et al). 2003;89:227-31

Composite indirect-direct method for fabricating multiple-unit provisional restorations (Dumbrigue). 2003;89:86-8

Evaluation of the accuracy of three techniques used for multiple implant abutment impressions (Vigolo et al). 2003;89:186-92

In vitro evaluation of fluoride varnish on overdenture abutments (Hong et al). 2003;89:28-36

A method for fabrication of temporary restoration on solid abutment of ITI implants (Savabi and NejatiDanesh). 2003;89:419

Photoelastic stress analysis of implant-tooth connected prostheses with segmented and nonsegmented abutments (Ochiai et al). 2003;89:495-502

Proximal contour modifications for fixed partial dentures: a clinical report (Kaiser and Jones). 2003;89:344-5

Technique for repair of multiple abutment teeth under preexisting crowns (Chan). 2003;89:91-92

Use of impression cap to retract peri-implant mucosa before cementation of ITI abutment (Peng et al). 2003;89:422-3

Acid etching

Comparison of microleakage on one composite etched with phosphoric acid or a combination of phosphoric and hydrofluoric acids and bonded with several different systems (Szep et al). 2003;89:161-9

Effect of different bonding agents on shear bond strengths of composite-bonded porcelain to enamel (Cura et al). 2003;89:394-9

Effect of etching and airborne particle abrasion on the microstructure of different dental ceramics (Borges et al). 2003;89:479-88

Acrylic resins

A denture tooth position index fabricated with light-polymerized acrylic resin (Shor et al). 2003;89:515-7

Dimensional change in complete dentures fabricated by injection molding and microwave processing (Keenan et al). 2003;89:37-44

Effect of a denture cleanser on weight, surface roughness and tensile bond strength of two resilient denture liners (Garcia et al). 2003;89:489-94

Evaluation of the accuracy of three techniques used for multiple implant abutment impressions (Vigolo et al). 2003;89:186-92

Reducing the negative effects of chemical polishing in acrylic resins by use of an additional cycle of polymerization (de Mello et al). 2003;89:598-602

Adhesion

Effect of different bonding agents on shear bond strengths of composite-bonded porcelain to enamel (Cura et al). 2003;89:394-9

Effect of the silicone disclosing procedure on the shear bond strength of composite cements to ceramic restorations (Szep et al). 2003;89:60-5

In vitro evaluation of long-term bonding of Procera AllCeram alumina restorations with a modified resin luting agent (Blatz et al). 2003;89:381-7

Adhesives

An alternate treatment method for a fixed-detachable hybrid prosthesis: a clinical report (Cobb et al). 2003;89:239-43

Effect of a fluoride varnish on the margin leakage and retention of luted provisional crowns (Lewinstein et al). 2003;89:70-5

Effect of the silicone disclosing procedure on the shear bond strength of composite cements to ceramic restorations (Szep et al). 2003;89:60-5

Evaluation of the accuracy of three techniques used for multiple implant abutment impressions (Vigolo et al). 2003;89:186-92

In vitro evaluation of long-term bonding of Procera AllCeram alumina restorations with a modified resin luting agent (Blatz et al). 2003;89:381-7

In vitro study of endodontic post cementation protocols that use resin cements (Varela et al). 2003;89:146-53

Inlay fixed partial denture as a conservative approach for restoring posterior missing teeth: a clinical report (Iglesia-Puig and Arellano-Cabornero). 2003;89:443-5

Mechanical and physical properties of contemporary dental luting agents (Attar et al). 2003;89:127-34

The retention of full crowns prepared with three different tapers and luted with four different cements (Zidan and Ferguson). 2003;89:565-71

Tensile bond strength of four different bonded resin cements to bovine enamel and dentin (Mota et al). 2003;89:589-97

Aged

Crestal bone loss proximal to oral implants in older and younger adults (Bryant and Zarb). 2003;89:589-97

Alloys

Comparison of retentive systems for composites used as alternatives to porcelain in fixed partial dentures (Tarozzo et al). 2003;89:572-8

Dimension changes of one-piece frameworks cast from titanium, base metal, or noble metal alloys and supported on telescopic crowns (Gebelein et al). 2003;89:193-200

*January, 1-108; February, 109-226; March 227-326; April, 327-426; May, 427-526; June, 527-644.

Fit of implant frameworks: an in vitro comparison between two fabrication techniques (Takahashi and Gunne). 2003;89:256-60

Preparation design and margin distortion in porcelain-fused-to-metal restorations (Shillingburg et al). 2003;89:527-32

Aluminum oxide

Effect of etching and airborne particle abrasion on the microstructure of different dental ceramics (Borges et al). 2003;89:479-88

In vitro evaluation of long-term bonding of Procera AllCeram alumina restorations with a modified resin luting agent (Blatz et al). 2003;89:381-7

Resin-ceramic bonding: a review of the literature (Blatz et al). 2003;89:268-74

Alveolar bone loss

The continuing reduction of the residual alveolar ridges in complete denture wearers: a mixed-longitudinal study covering 25 years (Tallgren). 2003;89:427-35

Crestal bone loss proximal to oral implants in older and younger adults (Bryant and Zarb). 2003;89:589-97

Amalgam

Assessment of the resistance to fracture of endodontically treated molars restored with amalgam (Assif et al). 2003;89:462-5

A conservative technique for restoring a tooth affected by interproximal root caries (Gilboa and Cardash). 2003;89:221-2

Animal models

Tensile bond strength of four different bonded resin cements to bovine enamel and dentin (Mota et al). 2003;89:558-64

Anterior teeth

Multidisciplinary approach to restoring anterior maxillary partial edentulous area using an IPS Empress 2 fixed partial denture: a clinical report (Dundar et al). 2003;89:327-30

Observable deviation of the facial and anterior tooth midlines (Cardash et al). 2003;89:282-5

A reliable method for securing anterior denture teeth in denture bases (Zuckerman). 2003;89:603-7

Arteriovenous malformations

Maxillofacial rehabilitation of a large facial defect resulting from an arteriovenous malformation utilizing a two-piece prosthesis (Hecker). 2003;89:109-13

Auricular prosthesis

An implant-retained auricular impression technique to minimize soft tissue distortion (Kubon and Anderson). 2003;89:97-101

Magnet-retained auricular prosthesis with an implant-supported composite bar: a clinical report (Chung et al). 2003;89:446-9

B

Basal cell nevus syndrome

Implant prosthodontic rehabilitation of a patient with nevoid basal cell carcinoma syndrome: a clinical report (Markt). 2003;89:436-42

Behavior

M. M. House mental classification revisited: intersection of particular patient types and particular dentist's needs (Gamer et al). 2003;89:297-302

Bicuspid; *see* Premolar

Biocompatible materials

Biaxial flexural strength, elastic moduli, and x-ray diffraction characterization of three pressable all-ceramic materials (Albakry et al). 2003;89:374-80

Multidisciplinary approach to restoring anterior maxillary partial edentulous area using an IPS Empress 2 fixed partial denture: a clinical report (Dundar et al). 2003;89:327-30

Bleaching

The effect of current bleaching agents on the color of light-polymerized composites in vitro (Canay and Çehreli). 2003;89:474-8

Effect of three bleaching agents on the surface properties of three different esthetic restorative materials (Turker and Biskin). 2003;89:466-73

Bond failure

A reliable method for securing anterior denture teeth in denture bases (Zuckerman). 2003;89:603-7

Bond strength

Comparison of retentive systems for composites used as alternatives to porcelain in fixed partial dentures (Tarozzo et al). 2003;89:572-8

Dentin bond strengths of two ceramic inlay systems after cementation with three different techniques and one bonding system (Ozturk and Aykent). 2003;89:275-81

Effect of a denture cleanser on weight, surface roughness and tensile bond strength of two resilient denture liners (Garcia et al). 2003;89:489-94

Effect of different bonding agents on shear bond strengths of composite-bonded porcelain to enamel (Cura et al). 2003;89:394-9

Effect of the silicone disclosing procedure on the shear bond strength of composite cements to ceramic restorations (Szep et al). 2003;89:60-5

Effect of thermocycling on tensile bond strength of six silicone-based, resilient denture liners (Kulak-Ozkan et al). 2003;89:303-10

In vitro evaluation of long-term bonding of Procera AllCeram alumina restorations with a modified resin luting agent (Blatz et al). 2003;89:381-7

In vitro study of endodontic post cementation protocols that use resin cements (Varela et al). 2003;89:146-53

The influence of fiber reinforcement of composites on shear bond strengths to enamel (Meiers et al). 2003;89:388-93

Monotonic and fatigue strength of composites for provisional and definitive restorations (Scherrer et al). 2003;89:579-98

Orthodontic bonding to porcelain: a comparison of bonding systems (Pannes et al). 2003;89:66-9

Tensile bond strength of four different bonded resin cements to bovine enamel and dentin (Mota et al). 2003;89:558-64

Bonding

Dentin bond strengths of two ceramic inlay systems after cementation with three different techniques and one bonding system (Ozturk and Aykent). 2003;89:275-81

Effect of etching and airborne particle abrasion on the microstructure of different dental ceramics (Borges et al). 2003;89:479-88

Fracture resistance of prepared teeth restored with bonded inlay restorations (St-Georges et al). 2003;89:551-7

Orthodontic bonding to porcelain: a comparison of bonding systems (Pannes et al). 2003;89:66-9

Resin-ceramic bonding: a review of the literature (Blatz et al). 2003;89:268-74

Bone loss

Crestal bone loss proximal to oral implants in older and younger adults (Bryant and Zarb). 2003;89:589-97

Bone screws

An alternate treatment method for a fixed-detachable hybrid prosthesis: a clinical report (Cobb et al). 2003;89:239-43

The anterior cantilever in the implant-supported screw-retained mandibular prosthesis (Brosky et al). 2003;89:244-9
Cyclic loading of implant-supported prostheses: changes in component fit over time (Hecker and Eckert). 2003;89:346-51
Split-frame implant prosthesis designed to compensate for mandibular flexure: a clinical report (Paez et al). 2003;89:341-3

Brachytherapy
Use of computed tomography for the fabrication of a custom brachytherapy carrier: a clinical report (Van Derhei et al). 2003;89:15-8

Brackets
Orthodontic bonding to porcelain: a comparison of bonding systems (Pannes et al). 2003;89:66-9

Brånemark implants
Early functional loading of conical Brånemark implants in the edentulous mandible: a 12-month follow-up clinical report (Kronström et al). 2003;89:335-40

Bruxism
Contingent electrical lip stimulation for sleep bruxism: a pilot study (Nishigawa et al). 2003;89:412-7

Burs
A comparison of the depths produced using three different tooth preparation techniques (Aminian and Brunton). 2003;89:19-22
Geographic distribution of porcelain veneer preparation depth with various clinical techniques (Cherukara et al). 2003;89:544-50
The magnitude of cutting forces at high speed (Elias et al). 2003;89:286-91

C

Calcium sulfate
A technique for cast duplication (Piro and de Sa e Frias). 2003;89:219-20

Canada
Implant prosthodontic management of partially edentulous patients missing posterior teeth: the Toronto experience (Attard and Zarb). 2003;89:352-9

Cantilevers
Abutment positioning in a cantilevered shortened dental arch: a clinical report and static analysis (Lewinstein et al). 2003;89:227-31
The anterior cantilever in the implant-supported screw-retained mandibular prosthesis (Brosky et al). 2003;89:244-9

Carbamide peroxide
Effect of three bleaching agents on the surface properties of three different esthetic restorative materials (Turker and Biskin). 2003;89:466-73

Carcinoma, squamous cell
Prosthetic rehabilitation of a total rhinectomy patient resulting from squamous cell carcinoma of the nasal septum: a clinical report (NaBadalung). 2003;89:234-8

Casting technique
Assessing the space limitation inside a complete denture for implant attachments (Chaimattayompol and Arbree). 2003;89:82-5
Composite indirect-direct method for fabricating multiple-unit provisional restorations (Dumbrigue). 2003;89:86-8
Dimension changes of one-piece frameworks cast from titanium, base metal, or noble metal alloys and supported on telescopic crowns (Gebelein et al). 2003;89:193-200
Effects of post-core design and ferrule on fracture resistance of endodontically treated maxillary central incisors (Zhi-Yue and Yu-Xing). 2003;89:368-73
Evaluation of the accuracy of three techniques used for multiple implant abutment impressions (Vigolo et al). 2003;89:186-92
A handle for facial casts (Siadat and Mirfazaelian). 2003;89:323
The influence of working cast residual moisture and temperature on the fit of vacuum-forming athletic mouth guards (Yonehata et al). 2003;89:23-7
A new method for recording and reproducing cast orientation on a survey table (Dumbrigue and Chingbingyong). 2003;89:76-8
A technique for cast duplication (Piro and de Sa e Frias). 2003;89:219-20
Technique for repair of multiple abutment teeth under preexisting crowns (Chan). 2003;89:91-92

Cattle
Tensile bond strength of four different bonded resin cements to bovine enamel and dentin (Mota et al). 2003;89:558-64

Cavity preparation
Fracture resistance of prepared teeth restored with bonded inlay restorations (St-Georges et al). 2003;89:551-7

Cementation
A crown venting technique for the cementation of implant-supported crowns (Schwedhelm et al). 2003;89:89-90
Dentin bond strengths of two ceramic inlay systems after cementation with three different techniques and one bonding system (Ozturk and Aykent). 2003;89:275-81
Use of impression cap to retract peri-implant mucosa before cementation of ITI abutment (Peng et al). 2003;89:422-3

Cements
An alternate treatment method for a fixed-detachable hybrid prosthesis: a clinical report (Cobb et al). 2003;89:239-43
Effect of the silicone disclosing procedure on the shear bond strength of composite cements to ceramic restorations (Szep et al). 2003;89:60-5
In vitro study of endodontic post cementation protocols that use resin cements (Varela et al). 2003;89:146-53
Inlay fixed partial denture as a conservative approach for restoring posterior missing teeth: a clinical report (Iglesia-Puig and Arellano-Cabornero). 2003;89:443-5
Mechanical and physical properties of contemporary dental luting agents (Attar et al). 2003;89:127-34
The retention of full crowns prepared with three different tapers and luted with four different cements (Zidan and Ferguson). 2003;89:565-71
Tensile bond strength of four different bonded resin cements to bovine enamel and dentin (Mota et al). 2003;89:558-64

Centric relation
Comparison of condylar guidance setting obtained from a wax record versus an extraoral tracing: a pilot study (dos Santos et al). 2003;89:54-9
The continuing reduction of the residual alveolar ridges in complete denture wearers: a mixed-longitudinal study covering 25 years (Tallgren). 2003;89:427-35

Ceramics
Biaxial flexural strength, elastic moduli, and x-ray diffraction characterization of three pressable all-ceramic materials (Albakry et al). 2003;89:374-80
A comparison of the depths produced using three different tooth preparation techniques (Aminian and Brunton). 2003;89:19-22
Dentin bond strengths of two ceramic inlay systems after cementation with three different techniques and one bonding system (Ozturk and Aykent). 2003;89:275-81

Effect of etching and airborne particle abrasion on the microstructure of different dental ceramics (Borges et al). 2003;89:479-88

Effect of the silicone disclosing procedure on the shear bond strength of composite cements to ceramic restorations (Szep et al). 2003;89:60-5

Effects of post-core design and ferrule on fracture resistance of endodontically treated maxillary central incisors (Zhi-Yue and Yu-Xing). 2003;89:368-73

In vitro evaluation of long-term bonding of Procera AllCeram alumina restorations with a modified resin luting agent (Blatz et al). 2003;89:381-7

Multidisciplinary approach to restoring anterior maxillary partial edentulous area using an IPS Empress 2 fixed partial denture: a clinical report (Dundar et al). 2003;89:327-30

Nondestructive examination of all-ceramic fixed partial denture with microcomputed tomography (Kokubo and Shimoda). 2003;89:324

Preparation design and margin distortion in porcelain-fused-to-metal restorations (Shillingburg et al). 2003;89:527-32

Resin-ceramic bonding: a review of the literature (Blatz et al). 2003;89:268-74

Tensile bond strength of four different bonded resin cements to bovine enamel and dentin (Mota et al). 2003;89:558-64

Cheek

Prosthetic management of a total glossectomy defect after free flap reconstruction in an edentulous patient: a clinical report (Pigno and Funk). 2003;89:119-22

Chemical polishing; *see* Polishing

Chromium alloys

Comparison of retentive systems for composites used as alternatives to porcelain in fixed partial dentures (Tarozzo et al). 2003;89:572-8

Dimension changes of one-piece frameworks cast from titanium, base metal, or noble metal alloys and supported on telescopic crowns (Gebelein et al). 2003;89:193-200

Clasps

Metal framework modifications to accommodate wrought wire clasps in distal extension removable partial dentures (Krug). 2003;89:79-81

Cleft palate prosthesis; *see* Palatal obturators

Clicking

Sound analysis of temporomandibular joint internal derangements with phonographic recordings (Öütcen-Toller). 2003;89:311-8

Cobalt

Dimension changes of one-piece frameworks cast from titanium, base metal, or noble metal alloys and supported on telescopic crowns (Gebelein et al). 2003;89:193-200

Colloids

A technique for cast duplication (Piro and de Sa e Frias). 2003;89:219-20

Color

The effect of current bleaching agents on the color of light-polymerized composites in vitro (Canay and Çehreli). 2003;89:474-8

Intrarater repeatability of shade selections with two shade guides (Hammad). 2003;89:50-3

A shade selection technique (Marcucci). 2003;89:518-21

Commissures

Adjunctive commissure splint therapy: a revised approach (Bedard et al). 2003;89:408-11

Composite bar

Magnet-retained auricular prosthesis with an implant-supported composite bar: a clinical report (Chung et al). 2003;89:446-9

Composite resins

Comparison of microleakage on one composite etched with phosphoric acid or a combination of phosphoric and hydrofluoric acids and bonded with several different systems (Szep et al). 2003;89:161-9

Comparison of retentive systems for composites used as alternatives to porcelain in fixed partial dentures (Tarozzo et al). 2003;89:572-8

Composite indirect-direct method for fabricating multiple-unit provisional restorations (Dumbrigue). 2003;89:86-8

The effect of current bleaching agents on the color of light-polymerized composites in vitro (Canay and Çehreli). 2003;89:474-8

Effect of different bonding agents on shear bond strengths of composite-bonded porcelain to enamel (Cura et al). 2003;89:394-9

Effect of the silicone disclosing procedure on the shear bond strength of composite cements to ceramic restorations (Szep et al). 2003;89:60-5

Effect of three bleaching agents on the surface properties of three different esthetic restorative materials (Turker and Biskin). 2003;89:466-73

Fracture resistance of endodontically treated teeth restored with composite posts (Newman et al). 2003;89:360-7

Fracture toughness of nine flowable resin composites (Bonilla et al). 2003;89:261-7

In vitro evaluation of long-term bonding of Procera AllCeram alumina restorations with a modified resin luting agent (Blatz et al). 2003;89:381-7

The influence of fiber reinforcement of composites on shear bond strengths to enamel (Meiers et al). 2003;89:388-93

Inlay fixed partial denture as a conservative approach for restoring posterior missing teeth: a clinical report (Iglesia-Puig and Arellano-Cabornero). 2003;89:443-5

An interdisciplinary approach for improved esthetic results in the anterior maxilla (Claman et al). 2003;89:1-5

Monotonic and fatigue strength of composites for provisional and definitive restorations (Scherrer et al). 2003;89:579-88

Conditioning

Effect of the silicone disclosing procedure on the shear bond strength of composite cements to ceramic restorations (Szep et al). 2003;89:60-5

Orthodontic bonding to porcelain: a comparison of bonding systems (Pannes et al). 2003;89:66-9

Contour, tooth

Proximal contour modifications for fixed partial dentures: a clinical report (Kaiser and Jones). 2003;89:344-5

Craniomandibular disorders

Analysis of the condyle/fossa relationship before and after prosthetic rehabilitation with maxillary complete denture and mandibular removable partial denture (Amorim et al). 2003;89:508-14

Combination therapies in the treatment of temporomandibular disorders: a clinical report (Hotta et al). 2003;89:536-9

Sound analysis of temporomandibular joint internal derangements with phonographic recordings (Öütcen-Toller). 2003;89:311-8

Unilateral temporomandibular disorder and asymmetry of occlusal contacts (Ciancaglini et al). 2003;89:180-5

Crepitation
Sound analysis of temporomandibular joint internal derangements with phonographic recordings (Oütcen-Toller). 2003;89:311-8

Crowns
Anatomic crown width/length ratios of unworn and worn maxillary teeth in white subjects (Magne et al). 2003;89:453-61
A comparison of the depths produced using three different tooth preparation techniques (Aminian and Brunton). 2003;89:19-22
A crown venting technique for the cementation of implant-supported crowns (Schwedhelm et al). 2003;89:89-90
Dimension changes of one-piece frameworks cast from titanium, base metal, or noble metal alloys and supported on telescopic crowns (Gebelein et al). 2003;89:193-200
Effect of a fluoride varnish on the margin leakage and retention of luted provisional crowns (Lewinstein et al). 2003;89:70-5
Effects of post-core design and ferrule on fracture resistance of endodontically treated maxillary central incisors (Zhi-Yue and Yu-Xing). 2003;89:368-73
An in vitro study of the compressive load at fracture of Procera AllCeram crowns with varying thickness of veneer porcelain (Webber et al). 2003;89:154-60
Removing crowns with minimal damage (Naffah and Chidiac). 2003;89:522-3
The retention of full crowns prepared with three different tapers and luted with four different cements (Zidan and Ferguson). 2003;89:565-71
Technique for repair of multiple abutment teeth under preexisting crowns (Chan). 2003;89:91-92

Curriculum
The teaching and treatment of upper airway sleep disorders in North American dental schools (Ivanhoe et al). 2003;89:292-6

Cyclic loading
Cyclic loading of implant-supported prostheses: changes in component fit over time (Hecker and Eckert). 2003;89:346-51

D

Deglutition
Prosthetic management of a total glossectomy defect after free flap reconstruction in an edentulous patient: a clinical report (Pigno and Funk). 2003;89:119-22

Demineralization
In vitro evaluation of fluoride varnish on overdenture abutments (Hong et al). 2003;89:28-36

Dental arch
Abutment positioning in a cantilevered shortened dental arch: a clinical report and static analysis (Lewinstein et al). 2003;89:227-31
Stage I indexing to replace a failed implant in an edentulous arch (Glavas and Moses). 2003;89:533-5

Dental enamel; *see* Enamel

Dental etching; *see* Acid etching

Dental finishing; *see* Polishing

Dental materials
Effect of three bleaching agents on the surface properties of three different esthetic restorative materials (Turker and Biskin). 2003;89:466-73

Dental polishing; *see* Polishing

Dental stress analysis
Photoelastic stress analysis of implant-tooth connected prostheses with segmented and nonsegmented abutments (Ochiai et al). 2003;89:495-502

Dentin
Dentin bond strengths of two ceramic inlay systems after cementation with three different techniques and one bonding system (Ozturk and Aykent). 2003;89:275-81
Effects of post-core design and ferrule on fracture resistance of endodontically treated maxillary central incisors (Zhi-Yue and Yu-Xing). 2003;89:368-73
In vitro study of endodontic post cementation protocols that use resin cements (Varela et al). 2003;89:146-53
A shade selection technique (Marcucci). 2003;89:518-21
Tensile bond strength of four different bonded resin cements to bovine enamel and dentin (Mota et al). 2003;89:558-64

Denture, complete
Analysis of the condyle/fossa relationship before and after prosthetic rehabilitation with maxillary complete denture and mandibular removable partial denture (Amorim et al). 2003;89:508-14
Assessing the space limitation inside a complete denture for implant attachments (Chaimattayompol and Arbree). 2003;89:82-5
The continuing reduction of the residual alveolar ridges in complete denture wearers: a mixed-longitudinal study covering 25 years (Tallgren). 2003;89:427-35
Dimensional change in complete dentures fabricated by injection molding and microwave processing (Keenan et al). 2003;89:37-44
Fabrication of a sectional impression tray and sectional complete denture for a patient with microstomia and trismus: a clinical report (Cura et al). 2003;89:540-3
Fracture of the genial tubercles associated with a mandibular denture: a clinical report (Shohat et al). 2003;89:232-3
M. M. House mental classification revisited: intersection of particular patient types and particular dentist's needs (Gamer et al). 2003;89:297-302
A procedure for re-forming the labial flange of the maxillary denture (Fujii et al). 2003;89:420-1

Denture, complete, lower
Analysis of the condyle/fossa relationship before and after prosthetic rehabilitation with maxillary complete denture and mandibular removable partial denture (Amorim et al). 2003;89:508-14
Fracture of the genial tubercles associated with a mandibular denture: a clinical report (Shohat et al). 2003;89:232-3

Denture, complete, upper
Analysis of the condyle/fossa relationship before and after prosthetic rehabilitation with maxillary complete denture and mandibular removable partial denture (Amorim et al). 2003;89:508-14
A procedure for re-forming the labial flange of the maxillary denture (Fujii et al). 2003;89:420-1

Denture, overlay
Assessing the space limitation inside a complete denture for implant attachments (Chaimattayompol and Arbree). 2003;89:82-5
In vitro evaluation of fluoride varnish on overdenture abutments (Hong et al). 2003;89:28-36
Implant prosthodontic rehabilitation of a patient with nevoid basal cell carcinoma syndrome: a clinical report (Markt). 2003;89:436-42

Implant retained overdentures for two patients with severe lichen planus: a clinical report (Esposito et al). 2003;89:6-10
Special technique for attachment incorporation with an implant overdenture (Sadig). 2003;89:93-6

Denture, partial, fixed
Abutment positioning in a cantilevered shortened dental arch: a clinical report and static analysis (Lewinstein et al). 2003;89:227-31
An alternate treatment method for a fixed-detachable hybrid prosthesis: a clinical report (Cobb et al). 2003;89:239-43
The anterior cantilever in the implant-supported screw-retained mandibular prosthesis (Brosky et al). 2003;89:244-9
Comparison of retentive systems for composites used as alternatives to porcelain in fixed partial dentures (Tarozzo et al). 2003;89:572-8
Early functional loading of conical Brånemark implants in the edentulous mandible: a 12-month follow-up clinical report (Kronström et al). 2003;89:335-40
In vitro resistance of reinforced interim fixed partial dentures (Pfeiffer and Grube). 2003;89:170-4
Implant prosthodontic management of partially edentulous patients missing posterior teeth: the Toronto experience (Attard and Zarb). 2003;89:352-9
Inlay fixed partial denture as a conservative approach for restoring posterior missing teeth: a clinical report (Iglesia-Puig and Arellano-Cabornero). 2003;89:443-5
Multidisciplinary approach to restoring anterior maxillary partial edentulous area using an IPS Empress 2 fixed partial denture: a clinical report (Dundar et al). 2003;89:327-30
Nondestructive examination of all-ceramic fixed partial denture with microcomputed tomography (Kokubo and Shimoda). 2003;89:324
Preventing aspiration or ingestion of fixed restorations (Ulusoy and Toksavul). 2003;89:223-4
Proximal contour modifications for fixed partial dentures: a clinical report (Kaiser and Jones). 2003;89:344-5

Denture, partial, removable
Analysis of the condyle/fossa relationship before and after prosthetic rehabilitation with maxillary complete denture and mandibular removable partial denture (Amorim et al). 2003;89:508-14
Easy retrieval of matrix attachments from removable prostheses (Agar and Colman). 2003;89:418
The effect of design modifications on the torsional and compressive rigidity of U-shaped palatal major connectors (Green and Hondrum). 2003;89:400-7
The effect of occlusal rest size and shape on yield strength (Sato et al). 2003;89:503-7
A locating impression technique for optimal positioning of precision attachments for removable partial dentures (Lynch and Burke). 2003;89:616-7
Metal framework modifications to accommodate wrought wire clasps in distal extension removable partial dentures (Krug). 2003;89:79-81
A new method for recording and reproducing cast orientation on a survey table (Dumbrigue and Chingbingyong). 2003;89:76-8

Denture, precision attachment
A locating impression technique for optimal positioning of precision attachments for removable partial dentures (Lynch and Burke). 2003;89:616-7

Denture bases
Dimensional change in complete dentures fabricated by injection molding and microwave processing (Keenan et al). 2003;89:37-44
Fabrication of a sectional impression tray and sectional complete denture for a patient with microstomia and trismus: a clinical report (Cura et al). 2003;89:540-3
A reliable method for securing anterior denture teeth in denture bases (Zuckerman). 2003;89:603-7
Special technique for attachment incorporation with an implant overdenture (Sadig). 2003;89:93-6

Denture cleansers
Effect of a denture cleanser on weight, surface roughness and tensile bond strength of two resilient denture liners (Garcia et al). 2003;89:489-94

Denture design
Split-frame implant prosthesis designed to compensate for mandibular flexure: a clinical report (Paez et al). 2003;89:341-3

Denture fabrication
A method for fabricating a surgical template after denture fabrication (Cahoon and Elton). 2003;89:424

Denture liners
Effect of a denture cleanser on weight, surface roughness and tensile bond strength of two resilient denture liners (Garcia et al). 2003;89:489-94
Effect of thermocycling on tensile bond strength of six silicone-based, resilient denture liners (Kulak-Ozkan et al). 2003;89:303-10

Denture retention
Assessing the space limitation inside a complete denture for implant attachments (Chaimattayompol and Arbree). 2003;89:82-5
Special technique for attachment incorporation with an implant overdenture (Sadig). 2003;89:93-6

Diagnostic imaging
Predictable implant placement with a diagnostic/surgical template and advanced radiographic imaging (Kopp et al). 2003;89:611-5

Diastema
An interdisciplinary approach for improved esthetic results in the anterior maxilla (Claman et al). 2003;89:1-5

Disclosing procedure
Effect of the silicone disclosing procedure on the shear bond strength of composite cements to ceramic restorations (Szep et al). 2003;89:60-5

Distraction osteogenesis
The use of distraction osteogenesis to treat hemifacial microsomia: a clinical report (Wiens et al). 2003;89:11-4

E

Education, dental
The teaching and treatment of upper airway sleep disorders in North American dental schools (Ivanhoe et al). 2003;89:292-6

Elasticity
Biaxial flexural strength, elastic moduli, and x-ray diffraction characterization of three pressable all-ceramic materials (Albakry et al). 2003;89:374-80
Photoelastic stress analysis of implant-tooth connected prostheses with segmented and nonsegmented abutments (Ochiai et al). 2003;89:495-502

Elastomers
A technique for cast duplication (Piro and de Sa e Frias). 2003;89:219-20

Electrical stimulation
Contingent electrical lip stimulation for sleep bruxism: a pilot study (Nishigawa et al). 2003;89:412-7

Enamel
Different methods of finishing and polishing enamel (Giampaolo et al). 2003;89:135-40
Effect of different bonding agents on shear bond strengths of composite-bonded porcelain to enamel (Cura et al). 2003;89:394-9
The influence of fiber reinforcement of composites on shear bond strengths to enamel (Meiers et al). 2003;89:388-93
Tensile bond strength of four different bonded resin cements to bovine enamel and dentin (Mota et al). 2003;89:558-64

Equipment and supplies
Geographic distribution of porcelain veneer preparation depth with various clinical techniques (Cherukara et al). 2003;89:544-50
A handle for facial casts (Siadat and Mirfazaelian). 2003;89:323
The influence of working cast residual moisture and temperature on the fit of vacuum-forming athletic mouth guards (Yonehata et al). 2003;89:23-7
The magnitude of cutting forces at high speed (Elias et al). 2003;89:286-91
Modified double gloving technique for extra finger protection in prosthodontic treatment (Ku and Shen). 2003;89:618
A new method for recording and reproducing cast orientation on a survey table (Dumbrigue and Chingbingyong). 2003;89:76-8
A positioning device for computed tomography: a clinical report (Varvara et al). 2003;89:123-6
Removing crowns with minimal damage (Naffah and Chidiac). 2003;89:522-3

Erosive lichen planus; *see* Lichen planus

Esthetics
Anatomic crown width/length ratios of unworn and worn maxillary teeth in white subjects (Magne et al). 2003;89:453-61
Biaxial flexural strength, elastic moduli, and x-ray diffraction characterization of three pressable all-ceramic materials (Albakry et al). 2003;89:374-80
The effect of current bleaching agents on the color of light-polymerized composites in vitro (Canay and Çehreli). 2003;89:474-8
Effect of three bleaching agents on the surface properties of three different esthetic restorative materials (Turker and Biskin). 2003;89:466-73
Expedient direct approach for esthetic and functional provisional restorations (Psichogios and Monaco). 2003;89:319-22
Fracture resistance of endodontically treated teeth restored with composite posts (Newman et al). 2003;89:360-7
An interdisciplinary approach for improved esthetic results in the anterior maxilla (Claman et al). 2003;89:1-5
Intrarater repeatability of shade selections with two shade guides (Hammad). 2003;89:50-3
Multidisciplinary approach to restoring anterior maxillary partial edentulous area using an IPS Empress 2 fixed partial denture: a clinical report (Dundar et al). 2003;89:327-30
A procedure for re-forming the labial flange of the maxillary denture (Fujii et al). 2003;89:420-1
Resin-ceramic bonding: a review of the literature (Blatz et al). 2003;89:268-74
A shade selection technique (Marcucci). 2003;89:518-21

Etching; *see* Acid etching

F

Face
The continuing reduction of the residual alveolar ridges in complete denture wearers: a mixed-longitudinal study covering 25 years (Tallgren). 2003;89:427-35
Maxillofacial rehabilitation of a large facial defect resulting from an arteriovenous malformation utilizing a two-piece prosthesis (Hecker). 2003;89:109-13
Observable deviation of the facial and anterior tooth midlines (Cardash et al). 2003;89:282-5

Facial asymmetry
The use of distraction osteogenesis to treat hemifacial microsomia: a clinical report (Wiens et al). 2003;89:11-4

Fatigue strength
Monotonic and fatigue strength of composites for provisional and definitive restorations (Scherrer et al). 2003;89:579-88

Feedback
Contingent electrical lip stimulation for sleep bruxism: a pilot study (Nishigawa et al). 2003;89:412-7

Finishing; *see* Polishing

Fixed partial denture; *see* Denture, partial, fixed

Flexural strength
Biaxial flexural strength, elastic moduli, and x-ray diffraction characterization of three pressable all-ceramic materials (Albakry et al). 2003;89:374-80
Monotonic and fatigue strength of composites for provisional and definitive restorations (Scherrer et al). 2003;89:579-88

Fluorides, topical
Effect of a fluoride varnish on the margin leakage and retention of luted provisional crowns (Lewinstein et al). 2003;89:70-5
In vitro evaluation of fluoride varnish on overdenture abutments (Hong et al). 2003;89:28-36

Follow-up studies
Early functional loading of conical Brånemark implants in the edentulous mandible: a 12-month follow-up clinical report (Kronström et al). 2003;89:335-40

Fracture resistance
Assessment of the resistance to fracture of endodontically treated molars restored with amalgam (Assif et al). 2003;89:462-5
Effects of post-core design and ferrule on fracture resistance of endodontically treated maxillary central incisors (Zhi-Yue and Yu-Xing). 2003;89:368-73
Fracture resistance of endodontically treated teeth restored with composite posts (Newman et al). 2003;89:360-7
Fracture resistance of prepared teeth restored with bonded inlay restorations (St-Georges et al). 2003;89:551-7

Fractures
Fracture of the genial tubercles associated with a mandibular denture: a clinical report (Shohat et al). 2003;89:232-3
Fracture toughness of nine flowable resin composites (Bonilla et al). 2003;89:261-7
An in vitro study of the compressive load at fracture of Procera AllCeram crowns with varying thickness of veneer porcelain (Webber et al). 2003;89:154-60
Technique for repair of multiple abutment teeth under preexisting crowns (Chan). 2003;89:91-92

Frameworks
Metal framework modifications to accommodate wrought wire clasps in distal extension removable partial dentures (Krug). 2003;89:79-81

G

Genial tubercles
Fracture of the genial tubercles associated with a mandibular denture: a clinical report (Shohat et al). 2003;89:232-3

Gingiva
In vitro kinetic study of absorbency of retraction cords (Csempesz et al). 2003;89:45-9
An interdisciplinary approach for improved esthetic results in the anterior maxilla (Claman et al). 2003;89:1-5

Glass ionomer cements
Mechanical and physical properties of contemporary dental luting agents (Attar et al). 2003;89:127-34
The retention of full crowns prepared with three different tapers and luted with four different cements (Zidan and Ferguson). 2003;89:565-71

Glossectomy
Prosthetic management of a total glossectomy defect after free flap reconstruction in an edentulous patient: a clinical report (Pigno and Funk). 2003;89:119-22

Gloves, protective
Modified double gloving technique for extra finger protection in prosthodontic treatment (Ku and Shen). 2003;89:618

Gold alloys
Fit of implant frameworks: an in vitro comparison between two fabrication techniques (Takahashi and Gunne). 2003;89:256-60

Goldenhar's syndrome
The use of distraction osteogenesis to treat hemifacial microsomia: a clinical report (Wiens et al). 2003;89:11-4

Gypsum; *see* Calcium sulfate

H

Hader bar system
Special technique for attachment incorporation with an implant overdenture (Sadig). 2003;89:93-6

Handpiece
The magnitude of cutting forces at high speed (Elias et al). 2003;89:286-91

Head
A positioning device for computed tomography: a clinical report (Varvara et al). 2003;89:123-6

Head and neck neoplasms
Use of computed tomography for the fabrication of a custom brachytherapy carrier: a clinical report (Van Derhei et al). 2003;89:15-8

Hemifacial microsomia; *see* Facial asymmetry

Hereditary multicentric osteolysis; *see* Osteolysis

High-speed instruments
The magnitude of cutting forces at high speed (Elias et al). 2003;89:286-91

Histology
Histologic evaluation of an immediately loaded titanium provisional implant retrieved after functioning for 18 months: a clinical report (Proussaefs). 2003;89:331-4

House classification
M. M. House mental classification revisited: intersection of particular patient types and particular dentist's needs (Gamer et al). 2003;89:297-302

Hydrocolloids
A technique for cast duplication (Piro and de Sa e Frias). 2003;89:219-20

Hydrofluoric acid
Comparison of microleakage on one composite etched with phosphoric acid or a combination of phosphoric and hydrofluoric acids and bonded with several different systems (Szep et al). 2003;89:161-9
Effect of etching and airborne particle abrasion on the microstructure of different dental ceramics (Borges et al). 2003;89:479-88

I

Implantation, endosseous
A positioning device for computed tomography: a clinical report (Varvara et al). 2003;89:123-6
Stage I indexing to replace a failed implant in an edentulous arch (Glavas and Moses). 2003;89:533-5

Implants
Abutment positioning in a cantilevered shortened dental arch: a clinical report and static analysis (Lewinstein et al). 2003;89:227-31
An alternate treatment method for a fixed-detachable hybrid prosthesis: a clinical report (Cobb et al). 2003;89:239-43
The anterior cantilever in the implant-supported screw-retained mandibular prosthesis (Brosky et al). 2003;89:244-9
Assessing the space limitation inside a complete denture for implant attachments (Chaimattayompol and Arbree). 2003;89:82-5
Crestal bone loss proximal to oral implants in older and younger adults (Bryant and Zarb). 2003;89:589-97
A crown venting technique for the cementation of implant-supported crowns (Schwedhelm et al). 2003;89:89-90
Cyclic loading of implant-supported prostheses: changes in component fit over time (Hecker and Eckert). 2003;89:346-51
A denture tooth position index fabricated with light-polymerized acrylic resin (Shor et al). 2003;89:515-7
Early functional loading of conical Brånemark implants in the edentulous mandible: a 12-month follow-up clinical report (Kronström et al). 2003;89:335-40
Fit of implant frameworks: an in vitro comparison between two fabrication techniques (Takahashi and Gunne). 2003;89:256-60
Histologic evaluation of an immediately loaded titanium provisional implant retrieved after functioning for 18 months: a clinical report (Proussaefs). 2003;89:331-4
Implant prosthodontic management of partially edentulous patients missing posterior teeth: the Toronto experience (Attard and Zarb). 2003;89:352-9
Implant prosthodontic rehabilitation of a patient with nevoid basal cell carcinoma syndrome: a clinical report (Markt). 2003;89:436-42
An implant-retained auricular impression technique to minimize soft tissue distortion (Kubon and Anderson). 2003;89:97-101
Implant retained overdentures for two patients with severe lichen planus: a clinical report (Esposito et al). 2003;89:6-10
Magnet-retained auricular prosthesis with an implant-supported composite bar: a clinical report (Chung et al). 2003;89:446-9
A method for fabrication of temporary restoration on solid abutment of ITI implants (Savabi and NejatiDanesh). 2003;89:419
Photoelastic stress analysis of implant-tooth connected prostheses with segmented and nonsegmented abutments (Ochiai et al). 2003;89:495-502

A positioning device for computed tomography: a clinical report (Varvara et al). 2003;89:123-6
Predictable implant placement with a diagnostic/surgical template and advanced radiographic imaging (Kopp et al). 2003;89:611-5
Rhinorrhea induced by loading of dental implants supporting an obturator prosthesis: a clinical report (Shifman and Finkelstein). 2003;89:450-2
Special technique for attachment incorporation with an implant overdenture (Sadig). 2003;89:93-6
Split-frame implant prosthesis designed to compensate for mandibular flexure: a clinical report (Paez et al). 2003;89:341-3
Stage I indexing to replace a failed implant in an edentulous arch (Glavas and Moses). 2003;89:533-5
Use of impression cap to retract peri-implant mucosa before cementation of ITI abutment (Peng et al). 2003;89:422-3

Impression materials
Fabrication of a sectional impression tray and sectional complete denture for a patient with microstomia and trismus: a clinical report (Cura et al). 2003;89:540-3
A technique for cast duplication (Piro and de Sa e Frias). 2003;89:219-20
Use of impression cap to retract peri-implant mucosa before cementation of ITI abutment (Peng et al). 2003;89:422-3

Impression technique
Accuracy of open tray implant impressions: an in vitro comparison of stock versus custom trays (Burns et al). 2003;89:250-5
A clinical trial to compare double-arch and complete-arch impression techniques in the provision of indirect restorations (Lane et al). 2003;89:141-5
Evaluation of the accuracy of three techniques used for multiple implant abutment impressions (Vigolo et al). 2003;89:186-92
A handle for facial casts (Siadat and Mirfazaelian). 2003;89:323
An implant-retained auricular impression technique to minimize soft tissue distortion (Kubon and Anderson). 2003;89:97-101
A locating impression technique for optimal positioning of precision attachments for removable partial dentures (Lynch and Burke). 2003;89:616-7

Incisor
Anatomic crown width/length ratios of unworn and worn maxillary teeth in white subjects (Magne et al). 2003;89:453-61
A comparison of the depths produced using three different tooth preparation techniques (Aminian and Brunton). 2003;89:19-22
Effects of post-core design and ferrule on fracture resistance of endodontically treated maxillary central incisors (Zhi-Yue and Yu-Xing). 2003;89:368-73
An interdisciplinary approach for improved esthetic results in the anterior maxilla (Claman et al). 2003;89:1-5

Infection control
Modified double gloving technique for extra finger protection in prosthodontic treatment (Ku and Shen). 2003;89:618

Injection molding
Dimensional change in complete dentures fabricated by injection molding and microwave processing (Keenan et al). 2003;89:37-44

Inlays
Dentin bond strengths of two ceramic inlay systems after cementation with three different techniques and one bonding system (Ozturk and Aykent). 2003;89:275-81
Fracture resistance of prepared teeth restored with bonded inlay restorations (St-Georges et al). 2003;89:551-7
Inlay fixed partial denture as a conservative approach for restoring posterior missing teeth: a clinical report (Iglesia-Puig and Arellano-Cabornero). 2003;89:443-5

Instruments
A comparison of the depths produced using three different tooth preparation techniques (Aminian and Brunton). 2003;89:19-22
The magnitude of cutting forces at high speed (Elias et al). 2003;89:286-91

Intrarater repeatability; *see* Reproducibility of results

Iodine radioisotopes
Use of computed tomography for the fabrication of a custom brachytherapy carrier: a clinical report (Van Derhei et al). 2003;89:15-8

J

Jaw, edentulous
Assessing the space limitation inside a complete denture for implant attachments (Chaimattayompol and Arbree). 2003;89:82-5
Early functional loading of conical Brånemark implants in the edentulous mandible: a 12-month follow-up clinical report (Kronström et al). 2003;89:335-40
Histologic evaluation of an immediately loaded titanium provisional implant retrieved after functioning for 18 months: a clinical report (Proussaefs). 2003;89:331-4
Implant prosthodontic management of partially edentulous patients missing posterior teeth: the Toronto experience (Attard and Zarb). 2003;89:352-9
Implant prosthodontic rehabilitation of a patient with nevoid basal cell carcinoma syndrome: a clinical report (Markt). 2003;89:436-42
Implant retained overdentures for two patients with severe lichen planus: a clinical report (Esposito et al). 2003;89:6-10
M. M. House mental classification revisited: intersection of particular patient types and particular dentist's needs (Gamer et al). 2003;89:297-302
Multidisciplinary approach to restoring anterior maxillary partial edentulous area using an IPS Empress 2 fixed partial denture: a clinical report (Dundar et al). 2003;89:327-30
Prosthetic management of a total glossectomy defect after free flap reconstruction in an edentulous patient: a clinical report (Pigno and Funk). 2003;89:119-22
Stage I indexing to replace a failed implant in an edentulous arch (Glavas and Moses). 2003;89:533-5

Jaw movement
Comparative tests of arbitrary and kinematic transverse horizontal axis recordings of mandibular movements (Bernhardt et al). 2003;89:175-9
Split-frame implant prosthesis designed to compensate for mandibular flexure: a clinical report (Paez et al). 2003;89:341-3

Jaw relation record
Comparison of condylar guidance setting obtained from a wax record versus an extraoral tracing: a pilot study (dos Santos et al). 2003;89:54-9
The continuing reduction of the residual alveolar ridges in complete denture wearers: a mixed-longitudinal study covering 25 years (Tallgren). 2003;89:427-35

Journals; *see* Periodicals

K

Kinematics

Comparative tests of arbitrary and kinematic transverse horizontal axis recordings of mandibular movements (Bernhardt et al). 2003;89:175-9

Kinetics

In vitro kinetic study of absorbency of retraction cords (Csempesz et al). 2003;89:45-9

L

Laminates

An interdisciplinary approach for improved esthetic results in the anterior maxilla (Claman et al). 2003;89:1-5

Leakage

Comparison of microleakage on one composite etched with phosphoric acid or a combination of phosphoric and hydrofluoric acids and bonded with several different systems (Szep et al). 2003;89:161-9

Effect of a fluoride varnish on the margin leakage and retention of luted provisional crowns (Lewinstein et al). 2003;89:70-5

Lichen planus

Implant retained overdentures for two patients with severe lichen planus: a clinical report (Esposito et al). 2003;89:6-10

Lip

Contingent electrical lip stimulation for sleep bruxism: a pilot study (Nishigawa et al). 2003;89:412-7

Prosthetic management of a total glossectomy defect after free flap reconstruction in an edentulous patient: a clinical report (Pigno and Funk). 2003;89:119-22

Luting agents

Effect of a fluoride varnish on the margin leakage and retention of luted provisional crowns (Lewinstein et al). 2003;89:70-5

In vitro evaluation of long-term bonding of Procera AllCeram alumina restorations with a modified resin luting agent (Blatz et al). 2003;89:381-7

Mechanical and physical properties of contemporary dental luting agents (Attar et al). 2003;89:127-34

M

Magnets

Magnet-retained auricular prosthesis with an implant-supported composite bar: a clinical report (Chung et al). 2003;89:446-9

Malocclusion

An interdisciplinary approach for improved esthetic results in the anterior maxilla (Claman et al). 2003;89:1-5

The use of distraction osteogenesis to treat hemifacial microsomia: a clinical report (Wiens et al). 2003;89:11-4

Mandible

Analysis of the condyle/fossa relationship before and after prosthetic rehabilitation with maxillary complete denture and mandibular removable partial denture (Amorim et al). 2003;89:508-14

The anterior cantilever in the implant-supported screw-retained mandibular prosthesis (Brosky et al). 2003;89:244-9

Assessing the space limitation inside a complete denture for implant attachments (Chaimattayompol and Arbree). 2003;89:82-5

Comparative tests of arbitrary and kinematic transverse horizontal axis recordings of mandibular movements (Bernhardt et al). 2003;89:175-9

Comparison of condylar guidance setting obtained from a wax record versus an extraoral tracing: a pilot study (dos Santos et al). 2003;89:54-9

The continuing reduction of the residual alveolar ridges in complete denture wearers: a mixed-longitudinal study covering 25 years (Tallgren). 2003;89:427-35

Early functional loading of conical Brånemark implants in the edentulous mandible: a 12-month follow-up clinical report (Kronström et al). 2003;89:335-40

Fabrication of a sectional impression tray and sectional complete denture for a patient with microstomia and trismus: a clinical report (Cura et al). 2003;89:540-3

Fracture of the genial tubercles associated with a mandibular denture: a clinical report (Shohat et al). 2003;89:232-3

Implant retained overdentures for two patients with severe lichen planus: a clinical report (Esposito et al). 2003;89:6-10

Split-frame implant prosthesis designed to compensate for mandibular flexure: a clinical report (Paez et al). 2003;89:341-3

The use of distraction osteogenesis to treat hemifacial microsomia: a clinical report (Wiens et al). 2003;89:11-4

Manuscripts

Scientific composition and review of manuscripts for publication in peer-reviewed dental journals (Bayne et al). 2003;89:201-18

Maxilla

Analysis of the condyle/fossa relationship before and after prosthetic rehabilitation with maxillary complete denture and mandibular removable partial denture (Amorim et al). 2003;89:508-14

Anatomic crown width/length ratios of unworn and worn maxillary teeth in white subjects (Magne et al). 2003;89:453-61

A comparison of the depths produced using three different tooth preparation techniques (Aminian and Brunton). 2003;89:19-22

The continuing reduction of the residual alveolar ridges in complete denture wearers: a mixed-longitudinal study covering 25 years (Tallgren). 2003;89:427-35

Dimensional change in complete dentures fabricated by injection molding and microwave processing (Keenan et al). 2003;89:37-44

The effect of design modifications on the torsional and compressive rigidity of U-shaped palatal major connectors (Green and Hondrum). 2003;89:400-7

Effects of post-core design and ferrule on fracture resistance of endodontically treated maxillary central incisors (Zhi-Yue and Yu-Xing). 2003;89:368-73

Fabrication of a sectional impression tray and sectional complete denture for a patient with microstomia and trismus: a clinical report (Cura et al). 2003;89:540-3

Fracture resistance of prepared teeth restored with bonded inlay restorations (St-Georges et al). 2003;89:551-7

An interdisciplinary approach for improved esthetic results in the anterior maxilla (Claman et al). 2003;89:1-5

Multidisciplinary approach to restoring anterior maxillary partial edentulous area using an IPS Empress 2 fixed partial denture: a clinical report (Dundar et al). 2003;89:327-30

A procedure for re-forming the labial flange of the maxillary denture (Fujii et al). 2003;89:420-1

Mental classification

M. M. House mental classification revisited: intersection of particular patient types and particular dentist's needs (Gamer et al). 2003;89:297-302

Metal ceramic alloys
Comparison of retentive systems for composites used as alternatives to porcelain in fixed partial dentures (Tarozzo et al). 2003;89:572-8
A comparison of the depths produced using three different tooth preparation techniques (Aminian and Brunton). 2003;89:19-22
Effects of post-core design and ferrule on fracture resistance of endodontically treated maxillary central incisors (Zhi-Yue and Yu-Xing). 2003;89:368-73
Multidisciplinary approach to restoring anterior maxillary partial edentulous area using an IPS Empress 2 fixed partial denture: a clinical report (Dundar et al). 2003;89:327-30
Orthodontic bonding to porcelain: a comparison of bonding systems (Pannes et al). 2003;89:66-9
Preparation design and margin distortion in porcelain-fused-to-metal restorations (Shillingburg et al). 2003;89:527-32

Metals
Dimension changes of one-piece frameworks cast from titanium, base metal, or noble metal alloys and supported on telescopic crowns (Gebelein et al). 2003;89:193-200
Fracture resistance of endodontically treated teeth restored with composite posts (Newman et al). 2003;89:360-7

Methylmethacrylates
Dimensional change in complete dentures fabricated by injection molding and microwave processing (Keenan et al). 2003;89:37-44

Microleakage
Comparison of microleakage on one composite etched with phosphoric acid or a combination of phosphoric and hydrofluoric acids and bonded with several different systems (Szep et al). 2003;89:161-9

Microsomia, hemifacial; *see* Facial asymmetry

Microstomia
Fabrication of a sectional impression tray and sectional complete denture for a patient with microstomia and trismus: a clinical report (Cura et al). 2003;89:540-3

Microwaves
Dimensional change in complete dentures fabricated by injection molding and microwave processing (Keenan et al). 2003;89:37-44
Effect of a denture cleanser on weight, surface roughness and tensile bond strength of two resilient denture liners (Garcia et al). 2003;89:489-94

Midlines
Observable deviation of the facial and anterior tooth midlines (Cardash et al). 2003;89:282-5
Split-frame implant prosthesis designed to compensate for mandibular flexure: a clinical report (Paez et al). 2003;89:341-3

Mobility
Dimension changes of one-piece frameworks cast from titanium, base metal, or noble metal alloys and supported on telescopic crowns (Gebelein et al). 2003;89:193-200

Molar
Assessment of the resistance to fracture of endodontically treated molars restored with amalgam (Assif et al). 2003;89:462-5

Mouth, edentulous
Histologic evaluation of an immediately loaded titanium provisional implant retrieved after functioning for 18 months: a clinical report (Proussaefs). 2003;89:331-4
Implant prosthodontic rehabilitation of a patient with nevoid basal cell carcinoma syndrome: a clinical report (Markt). 2003;89:436-42
Implant retained overdentures for two patients with severe lichen planus: a clinical report (Esposito et al). 2003;89:6-10
M. M. House mental classification revisited: intersection of particular patient types and particular dentist's needs (Gamer et al). 2003;89:297-302
Prosthetic management of a total glossectomy defect after free flap reconstruction in an edentulous patient: a clinical report (Pigno and Funk). 2003;89:119-22
Special technique for attachment incorporation with an implant overdenture (Sadig). 2003;89:93-6
Stage I indexing to replace a failed implant in an edentulous arch (Glavas and Moses). 2003;89:533-5

Mouth mucosa
Use of impression cap to retract peri-implant mucosa before cementation of ITI abutment (Peng et al). 2003;89:422-3

Mouth protectors
The influence of working cast residual moisture and temperature on the fit of vacuum-forming athletic mouth guards (Yonehata et al). 2003;89:23-7

Movement
Comparative tests of arbitrary and kinematic transverse horizontal axis recordings of mandibular movements (Bernhardt et al). 2003;89:175-9

Mucous membrane
Use of impression cap to retract peri-implant mucosa before cementation of ITI abutment (Peng et al). 2003;89:422-3

Multicentric osteolysis, hereditary; *see* Osteolysis

N

Nasal septum
Prosthetic rehabilitation of a total rhinectomy patient resulting from squamous cell carcinoma of the nasal septum: a clinical report (NaBadalung). 2003;89:234-8

Nasopharyngeal neoplasms
Use of computed tomography for the fabrication of a custom brachytherapy carrier: a clinical report (Van Derhei et al). 2003;89:15-8

Nevoid basal cell carcinoma syndrome; *see* Basal cell nevus syndrome

Nickel
Comparison of retentive systems for composites used as alternatives to porcelain in fixed partial dentures (Tarozzo et al). 2003;89:572-8

O

Obturator; *see* Palatal obturators

Occlusal rest
The effect of occlusal rest size and shape on yield strength (Sato et al). 2003;89:503-7

Occlusion
Assessment of the resistance to fracture of endodontically treated molars restored with amalgam (Assif et al). 2003;89:462-5
Comparison of condylar guidance setting obtained from a wax record versus an extraoral tracing: a pilot study (dos Santos et al). 2003;89:54-9
Occlusal rehabilitation of a patient with hereditary multicentric osteolysis (Liljeström and Närhi). 2003;89:114-8
Unilateral temporomandibular disorder and asymmetry of occlusal contacts (Ciancaglini et al). 2003;89:180-5

Oral lichen planus; *see* Lichen planus

Orthodontic brackets
Orthodontic bonding to porcelain: a comparison of bonding systems (Pannes et al). 2003;89:66-9

Osseointegrated implants; *see* Implantation, endosseous

Osteogenesis
The use of distraction osteogenesis to treat hemifacial microsomia: a clinical report (Wiens et al). 2003;89:11-4

Osteolysis
Occlusal rehabilitation of a patient with hereditary multicentric osteolysis (Liljeström and Närhi). 2003;89:114-8

Outcome assessment
Early functional loading of conical Brånemark implants in the edentulous mandible: a 12-month follow-up clinical report (Kronström et al). 2003;89:335-40
Implant prosthodontic management of partially edentulous patients missing posterior teeth: the Toronto experience (Attard and Zarb). 2003;89:352-9
Prosthetic management of a total glossectomy defect after free flap reconstruction in an edentulous patient: a clinical report (Pigno and Funk). 2003;89:119-22

P

Palatal obturators
The evolution of the obturator framework design (Parr and Gardner). 2003;89:608-10
Rhinorrhea induced by loading of dental implants supporting an obturator prosthesis: a clinical report (Shifman and Finkelstein). 2003;89:450-2

Palate
The effect of design modifications on the torsional and compressive rigidity of U-shaped palatal major connectors (Green and Hondrum). 2003;89:400-7

Pantographic tracing
Comparison of condylar guidance setting obtained from a wax record versus an extraoral tracing: a pilot study (dos Santos et al). 2003;89:54-9

Patient satisfaction
A procedure for re-forming the labial flange of the maxillary denture (Fujii et al). 2003;89:420-1

Periodicals
Scientific composition and review of manuscripts for publication in peer-reviewed dental journals (Bayne et al). 2003;89:201-18

Periodontal surgery
An interdisciplinary approach for improved esthetic results in the anterior maxilla (Claman et al). 2003;89:1-5

Peroxides
Effect of three bleaching agents on the surface properties of three different esthetic restorative materials (Turker and Biskin). 2003;89:466-73

Personal protection
Modified double gloving technique for extra finger protection in prosthodontic treatment (Ku and Shen). 2003;89:618

Phonographic recording
Sound analysis of temporomandibular joint internal derangements with phonographic recordings (Öütcen-Toller). 2003;89:311-8

Phosphoric acids
Comparison of microleakage on one composite etched with phosphoric acid or a combination of phosphoric and hydrofluoric acids and bonded with several different systems (Szep et al). 2003;89:161-9
Orthodontic bonding to porcelain: a comparison of bonding systems (Pannes et al). 2003;89:66-9

Photoelasticity
Photoelastic stress analysis of implant-tooth connected prostheses with segmented and nonsegmented abutments (Ochiai et al). 2003;89:495-502

Polishing
Different methods of finishing and polishing enamel (Giampaolo et al). 2003;89:135-40
Reducing the negative effects of chemical polishing in acrylic resins by use of an additional cycle of polymerization (de Mello et al). 2003;89:598-602

Polymerization
A denture tooth position index fabricated with light-polymerized acrylic resin (Shor et al). 2003;89:515-7
Dimensional change in complete dentures fabricated by injection molding and microwave processing (Keenan et al). 2003;89:37-44
The effect of current bleaching agents on the color of light-polymerized composites in vitro (Canay and Çehreli). 2003;89:474-8
Reducing the negative effects of chemical polishing in acrylic resins by use of an additional cycle of polymerization (de Mello et al). 2003;89:598-602

Polysiloxane
Composite indirect-direct method for fabricating multiple-unit provisional restorations (Dumbrigue). 2003;89:86-8
Technique for repair of multiple abutment teeth under preexisting crowns (Chan). 2003;89:91-92

Polytetrafluoroethylene
Technique for repair of multiple abutment teeth under preexisting crowns (Chan). 2003;89:91-92

Porcelain
Comparison of retentive systems for composites used as alternatives to porcelain in fixed partial dentures (Tarozzo et al). 2003;89:572-8
Effect of different bonding agents on shear bond strengths of composite-bonded porcelain to enamel (Cura et al). 2003;89:394-9
Effect of three bleaching agents on the surface properties of three different esthetic restorative materials (Turker and Biskin). 2003;89:466-73
Geographic distribution of porcelain veneer preparation depth with various clinical techniques (Cherukara et al). 2003;89:544-50
An in vitro study of the compressive load at fracture of Procera AllCeram crowns with varying thickness of veneer porcelain (Webber et al). 2003;89:154-60
An interdisciplinary approach for improved esthetic results in the anterior maxilla (Claman et al). 2003;89:1-5
Orthodontic bonding to porcelain: a comparison of bonding systems (Pannes et al). 2003;89:66-9
Preparation design and margin distortion in porcelain-fused-to-metal restorations (Shillingburg et al). 2003;89:527-32

Post and core technique
Effects of post-core design and ferrule on fracture resistance of endodontically treated maxillary central incisors (Zhi-Yue and Yu-Xing). 2003;89:368-73
Fracture resistance of endodontically treated teeth restored with composite posts (Newman et al). 2003;89:360-7

In vitro study of endodontic post cementation protocols that use resin cements (Varela et al). 2003;89:146-53
Technique for repair of multiple abutment teeth under preexisting crowns (Chan). 2003;89:91-92

Posterior teeth
Analysis of the condyle/fossa relationship before and after prosthetic rehabilitation with maxillary complete denture and mandibular removable partial denture (Amorim et al). 2003;89:508-14
Implant prosthodontic management of partially edentulous patients missing posterior teeth: the Toronto experience (Attard and Zarb). 2003;89:352-9
Inlay fixed partial denture as a conservative approach for restoring posterior missing teeth: a clinical report (Iglesia-Puig and Arellano-Cabornero). 2003;89:443-5

Postoperative complications
Prosthetic management of a total glossectomy defect after free flap reconstruction in an edentulous patient: a clinical report (Pigno and Funk). 2003;89:119-22

Premolar
Fracture resistance of prepared teeth restored with bonded inlay restorations (St-Georges et al). 2003;89:551-7

Prosthesis
An alternate treatment method for a fixed-detachable hybrid prosthesis: a clinical report (Cobb et al). 2003;89:239-43
Maxillofacial rehabilitation of a large facial defect resulting from an arteriovenous malformation utilizing a two-piece prosthesis (Hecker). 2003;89:109-13
Prosthetic management of a total glossectomy defect after free flap reconstruction in an edentulous patient: a clinical report (Pigno and Funk). 2003;89:119-22
Prosthetic rehabilitation of a total rhinectomy patient resulting from squamous cell carcinoma of the nasal septum: a clinical report (NaBadalung). 2003;89:234-8
Rhinorrhea induced by loading of dental implants supporting an obturator prosthesis: a clinical report (Shifman and Finkelstein). 2003;89:450-2

Prosthesis retention
Magnet-retained auricular prosthesis with an implant-supported composite bar: a clinical report (Chung et al). 2003;89:446-9

Protective equipment and supplies
Modified double gloving technique for extra finger protection in prosthodontic treatment (Ku and Shen). 2003;89:618

Publications
Scientific composition and review of manuscripts for publication in peer-reviewed dental journals (Bayne et al). 2003;89:201-18

R

Radiation therapy
Use of computed tomography for the fabrication of a custom brachytherapy carrier: a clinical report (Van Derhei et al). 2003;89:15-8

Radiography
Predictable implant placement with a diagnostic/surgical template and advanced radiographic imaging (Kopp et al). 2003;89:611-5

Rehabilitation
Analysis of the condyle/fossa relationship before and after prosthetic rehabilitation with maxillary complete denture and mandibular removable partial denture (Amorim et al). 2003;89:508-14
Combination therapies in the treatment of temporomandibular disorders: a clinical report (Hotta et al). 2003;89:536-9
Implant prosthodontic rehabilitation of a patient with nevoid basal cell carcinoma syndrome: a clinical report (Markt). 2003;89:436-42
Maxillofacial rehabilitation of a large facial defect resulting from an arteriovenous malformation utilizing a two-piece prosthesis (Hecker). 2003;89:109-13
Occlusal rehabilitation of a patient with hereditary multicentric osteolysis (Liljeström and Närhi). 2003;89:114-8

Reliability, intrarater; *see* Reproducibility of results

Removable partial denture; *see* Denture, partial, removable

Repeatability, intrarater; *see* Reproducibility of results

Reproducibility of results
Intrarater repeatability of shade selections with two shade guides (Hammad). 2003;89:50-3

Resins
Comparison of microleakage on one composite etched with phosphoric acid or a combination of phosphoric and hydrofluoric acids and bonded with several different systems (Szep et al). 2003;89:161-9
Comparison of retentive systems for composites used as alternatives to porcelain in fixed partial dentures (Tarozzo et al). 2003;89:572-8
A denture tooth position index fabricated with light-polymerized acrylic resin (Shor et al). 2003;89:515-7
Dimensional change in complete dentures fabricated by injection molding and microwave processing (Keenan et al). 2003;89:37-44
Effect of a denture cleanser on weight, surface roughness and tensile bond strength of two resilient denture liners (Garcia et al). 2003;89:489-94
The effect of current bleaching agents on the color of light-polymerized composites in vitro (Canay and Çehreli). 2003;89:474-8
Effect of different bonding agents on shear bond strengths of composite-bonded porcelain to enamel (Cura et al). 2003;89:394-9
Effect of the silicone disclosing procedure on the shear bond strength of composite cements to ceramic restorations (Szep et al). 2003;89:60-5
Effect of three bleaching agents on the surface properties of three different esthetic restorative materials (Turker and Biskin). 2003;89:466-73
Evaluation of the accuracy of three techniques used for multiple implant abutment impressions (Vigolo et al). 2003;89:186-92
Fracture resistance of endodontically treated teeth restored with composite posts (Newman et al). 2003;89:360-7
Fracture toughness of nine flowable resin composites (Bonilla et al). 2003;89:261-7
In vitro evaluation of long-term bonding of Procera AllCeram alumina restorations with a modified resin luting agent (Blatz et al). 2003;89:381-7
In vitro study of endodontic post cementation protocols that use resin cements (Varela et al). 2003;89:146-53
The influence of fiber reinforcement of composites on shear bond strengths to enamel (Meiers et al). 2003;89:388-93
Inlay fixed partial denture as a conservative approach for restoring posterior missing teeth: a clinical report (Iglesia-Puig and Arellano-Cabornero). 2003;89:443-5
An interdisciplinary approach for improved esthetic results in the anterior maxilla (Claman et al). 2003;89:1-5
Mechanical and physical properties of contemporary dental luting agents (Attar et al). 2003;89:127-34

Reducing the negative effects of chemical polishing in acrylic resins by use of an additional cycle of polymerization (de Mello et al). 2003;89:598-602
A reliable method for securing anterior denture teeth in denture bases (Zuckerman). 2003;89:603-7
Resin-ceramic bonding: a review of the literature (Blatz et al). 2003;89:268-74
The retention of full crowns prepared with three different tapers and luted with four different cements (Zidan and Ferguson). 2003;89:565-71
A technique for cast duplication (Piro and de Sa e Frias). 2003;89:219-20
Tensile bond strength of four different bonded resin cements to bovine enamel and dentin (Mota et al). 2003;89:558-64

Restoration, permanent
A clinical trial to compare double-arch and complete-arch impression techniques in the provision of indirect restorations (Lane et al). 2003;89:141-5
A comparison of the depths produced using three different tooth preparation techniques (Aminian and Brunton). 2003;89:19-22
A conservative technique for restoring a tooth affected by interproximal root caries (Gilboa and Cardash). 2003;89:221-2
A crown venting technique for the cementation of implant-supported crowns (Schwedhelm et al). 2003;89:89-90
Early functional loading of conical Brånemark implants in the edentulous mandible: a 12-month follow-up clinical report (Kronström et al). 2003;89:335-40
The effect of current bleaching agents on the color of light-polymerized composites in vitro (Canay and Çehreli). 2003;89:474-8
Effect of the silicone disclosing procedure on the shear bond strength of composite cements to ceramic restorations (Szep et al). 2003;89:60-5
Effect of three bleaching agents on the surface properties of three different esthetic restorative materials (Turker and Biskin). 2003;89:466-73
Fracture resistance of prepared teeth restored with bonded inlay restorations (St-Georges et al). 2003;89:551-7
Fracture toughness of nine flowable resin composites (Bonilla et al). 2003;89:261-7
Geographic distribution of porcelain veneer preparation depth with various clinical techniques (Cherukara et al). 2003;89:544-50
In vitro evaluation of long-term bonding of Procera AllCeram alumina restorations with a modified resin luting agent (Blatz et al). 2003;89:381-7
An interdisciplinary approach for improved esthetic results in the anterior maxilla (Claman et al). 2003;89:1-5
Monotonic and fatigue strength of composites for provisional and definitive restorations (Scherrer et al). 2003;89:579-88
Multidisciplinary approach to restoring anterior maxillary partial edentulous area using an IPS Empress 2 fixed partial denture: a clinical report (Dundar et al). 2003;89:327-30
Preparation design and margin distortion in porcelain-fused-to-metal restorations (Shillingburg et al). 2003;89:527-32
Preventing aspiration or ingestion of fixed restorations (Ulusoy and Toksavul). 2003;89:223-4
Proximal contour modifications for fixed partial dentures: a clinical report (Kaiser and Jones). 2003;89:344-5
Resin-ceramic bonding: a review of the literature (Blatz et al). 2003;89:268-74
Stage I indexing to replace a failed implant in an edentulous arch (Glavas and Moses). 2003;89:533-5

Restoration, temporary
Composite indirect-direct method for fabricating multiple-unit provisional restorations (Dumbrigue). 2003;89:86-8
Effect of a fluoride varnish on the margin leakage and retention of luted provisional crowns (Lewinstein et al). 2003;89:70-5
Expedient direct approach for esthetic and functional provisional restorations (Psichogios and Monaco). 2003;89:319-22
Histologic evaluation of an immediately loaded titanium provisional implant retrieved after functioning for 18 months: a clinical report (Proussaefs). 2003;89:331-4
In vitro resistance of reinforced interim fixed partial dentures (Pfeiffer and Grube). 2003;89:170-4
An interdisciplinary approach for improved esthetic results in the anterior maxilla (Claman et al). 2003;89:1-5
A method for fabrication of temporary restoration on solid abutment of ITI implants (Savabi and NejatiDanesh). 2003;89:419
Monotonic and fatigue strength of composites for provisional and definitive restorations (Scherrer et al). 2003;89:579-88

Retention
Assessing the space limitation inside a complete denture for implant attachments (Chaimattayompol and Arbree). 2003;89:82-5
Comparison of retentive systems for composites used as alternatives to porcelain in fixed partial dentures (Tarozzo et al). 2003;89:572-8
Effect of a fluoride varnish on the margin leakage and retention of luted provisional crowns (Lewinstein et al). 2003;89:70-5
Magnet-retained auricular prosthesis with an implant-supported composite bar: a clinical report (Chung et al). 2003;89:446-9
The retention of full crowns prepared with three different tapers and luted with four different cements (Zidan and Ferguson). 2003;89:565-71
Special technique for attachment incorporation with an implant overdenture (Sadig). 2003;89:93-6

Retraction cords
In vitro kinetic study of absorbency of retraction cords (Csempesz et al). 2003;89:45-9

Rhinectomy
Prosthetic rehabilitation of a total rhinectomy patient resulting from squamous cell carcinoma of the nasal septum: a clinical report (NaBadalung). 2003;89:234-8

Rhinorrhea
Rhinorrhea induced by loading of dental implants supporting an obturator prosthesis: a clinical report (Shifman and Finkelstein). 2003;89:450-2

Rigidity
The effect of design modifications on the torsional and compressive rigidity of U-shaped palatal major connectors (Green and Hondrum). 2003;89:400-7

Root caries
A conservative technique for restoring a tooth affected by interproximal root caries (Gilboa and Cardash). 2003;89:221-2

Rubber
A technique for cast duplication (Piro and de Sa e Frias). 2003;89:219-20

S

Screws; *see* Bone screws

Shade
Intrarater repeatability of shade selections with two shade guides (Hammad). 2003;89:50-3
A shade selection technique (Marcucci). 2003;89:518-21

Shear bond strength
Effect of different bonding agents on shear bond strengths of composite-bonded porcelain to enamel (Cura et al). 2003;89:394-9
Effect of the silicone disclosing procedure on the shear bond strength of composite cements to ceramic restorations (Szep et al). 2003;89:60-5
The influence of fiber reinforcement of composites on shear bond strengths to enamel (Meiers et al). 2003;89:388-93

Silanes
Orthodontic bonding to porcelain: a comparison of bonding systems (Pannes et al). 2003;89:66-9

Silica; *see* Silicon dioxide

Silicon dioxide
Resin-ceramic bonding: a review of the literature (Blatz et al). 2003;89:268-74

Silicones
Assessing the space limitation inside a complete denture for implant attachments (Chaimattayompol and Arbree). 2003;89:82-5
Effect of the silicone disclosing procedure on the shear bond strength of composite cements to ceramic restorations (Szep et al). 2003;89:60-5
Effect of thermocycling on tensile bond strength of six silicone-based, resilient denture liners (Kulak-Ozkan et al). 2003;89:303-10
A technique for cast duplication (Piro and de Sa e Frias). 2003;89:219-20

Siloxanes
Composite indirect-direct method for fabricating multiple-unit provisional restorations (Dumbrigue). 2003;89:86-8
Technique for repair of multiple abutment teeth under preexisting crowns (Chan). 2003;89:91-92

Sleep disorders
Contingent electrical lip stimulation for sleep bruxism: a pilot study (Nishigawa et al). 2003;89:412-7
The teaching and treatment of upper airway sleep disorders in North American dental schools (Ivanhoe et al). 2003;89:292-6

Soaking time
In vitro kinetic study of absorbency of retraction cords (Csempesz et al). 2003;89:45-9

Sodium hypochlorite
In vitro study of endodontic post cementation protocols that use resin cements (Varela et al). 2003;89:146-53

Soft tissue
An implant-retained auricular impression technique to minimize soft tissue distortion (Kubon and Anderson). 2003;89:97-101

Sound analysis
Sound analysis of temporomandibular joint internal derangements with phonographic recordings (Öütcen-Toller). 2003;89:311-8

Speech
Prosthetic management of a total glossectomy defect after free flap reconstruction in an edentulous patient: a clinical report (Pigno and Funk). 2003;89:119-22

Splints
Adjunctive commissure splint therapy: a revised approach (Bedard et al). 2003;89:408-11
Combination therapies in the treatment of temporomandibular disorders: a clinical report (Hotta et al). 2003;89:536-9

Squamous cell carcinoma; *see* Carcinoma, squamous cell

Stainless steel
Fracture resistance of endodontically treated teeth restored with composite posts (Newman et al). 2003;89:360-7

Stress analysis
Photoelastic stress analysis of implant-tooth connected prostheses with segmented and nonsegmented abutments (Ochiai et al). 2003;89:495-502

Surgical flaps
Prosthetic management of a total glossectomy defect after free flap reconstruction in an edentulous patient: a clinical report (Pigno and Funk). 2003;89:119-22

Surgical template
A method for fabricating a surgical template after denture fabrication (Cahoon and Elton). 2003;89:424
Predictable implant placement with a diagnostic/surgical template and advanced radiographic imaging (Kopp et al). 2003;89:611-5

Survey table
A new method for recording and reproducing cast orientation on a survey table (Dumbrigue and Chingbingyong). 2003;89:76-8

Swallowing; *see* Deglutition

T

Teaching
The teaching and treatment of upper airway sleep disorders in North American dental schools (Ivanhoe et al). 2003;89:292-6

Temperature
The influence of working cast residual moisture and temperature on the fit of vacuum-forming athletic mouth guards (Yonehata et al). 2003;89:23-7

Template
A method for fabricating a surgical template after denture fabrication (Cahoon and Elton). 2003;89:424
Predictable implant placement with a diagnostic/surgical template and advanced radiographic imaging (Kopp et al). 2003;89:611-5

Temporomandibular joint
Analysis of the condyle/fossa relationship before and after prosthetic rehabilitation with maxillary complete denture and mandibular removable partial denture (Amorim et al). 2003;89:508-14
Combination therapies in the treatment of temporomandibular disorders: a clinical report (Hotta et al). 2003;89:536-9
Sound analysis of temporomandibular joint internal derangements with phonographic recordings (Öütcen-Toller). 2003;89:311-8
Unilateral temporomandibular disorder and asymmetry of occlusal contacts (Ciancaglini et al). 2003;89:180-5

Tensile bond strength
Comparison of retentive systems for composites used as alternatives to porcelain in fixed partial dentures (Tarozzo et al). 2003;89:572-8
Effect of a denture cleanser on weight, surface roughness and tensile bond strength of two resilient denture liners (Garcia et al). 2003;89:489-94
Effect of thermocycling on tensile bond strength of six silicone-based, resilient denture liners (Kulak-Ozkan et al). 2003;89:303-10
In vitro study of endodontic post cementation protocols that use resin cements (Varela et al). 2003;89:146-53

Tensile bond strength of four different bonded resin cements to bovine enamel and dentin (Mota et al). 2003;89:558-64

Thermocycling

Effect of thermocycling on tensile bond strength of six silicone-based, resilient denture liners (Kulak-Ozkan et al). 2003;89:303-10

Titanium

Dimension changes of one-piece frameworks cast from titanium, base metal, or noble metal alloys and supported on telescopic crowns (Gebelein et al). 2003;89:193-200

Histologic evaluation of an immediately loaded titanium provisional implant retrieved after functioning for 18 months: a clinical report (Proussaefs). 2003;89:331-4

Tomography, x-ray computed

Nondestructive examination of all-ceramic fixed partial denture with microcomputed tomography (Kokubo and Shimoda). 2003;89:324

A positioning device for computed tomography: a clinical report (Varvara et al). 2003;89:123-6

Predictable implant placement with a diagnostic/surgical template and advanced radiographic imaging (Kopp et al). 2003;89:611-5

Use of computed tomography for the fabrication of a custom brachytherapy carrier: a clinical report (Van Derhei et al). 2003;89:15-8

Tooth, anterior

Multidisciplinary approach to restoring anterior maxillary partial edentulous area using an IPS Empress 2 fixed partial denture: a clinical report (Dundar et al). 2003;89:327-30

Observable deviation of the facial and anterior tooth midlines (Cardash et al). 2003;89:282-5

A reliable method for securing anterior denture teeth in denture bases (Zuckerman). 2003;89:603-7

Tooth, posterior

Analysis of the condyle/fossa relationship before and after prosthetic rehabilitation with maxillary complete denture and mandibular removable partial denture (Amorim et al). 2003;89:508-14

Implant prosthodontic management of partially edentulous patients missing posterior teeth: the Toronto experience (Attard and Zarb). 2003;89:352-9

Inlay fixed partial denture as a conservative approach for restoring posterior missing teeth: a clinical report (Iglesia-Puig and Arellano-Cabornero). 2003;89:443-5

Tooth bleaching

Effect of three bleaching agents on the surface properties of three different esthetic restorative materials (Turker and Biskin). 2003;89:466-73

Tooth contour

Proximal contour modifications for fixed partial dentures: a clinical report (Kaiser and Jones). 2003;89:344-5

Tooth demineralization

In vitro evaluation of fluoride varnish on overdenture abutments (Hong et al). 2003;89:28-36

Tooth fractures

Technique for repair of multiple abutment teeth under preexisting crowns (Chan). 2003;89:91-92

Tooth mobility

Dimension changes of one-piece frameworks cast from titanium, base metal, or noble metal alloys and supported on telescopic crowns (Gebelein et al). 2003;89:193-200

Tooth movement

An interdisciplinary approach for improved esthetic results in the anterior maxilla (Claman et al). 2003;89:1-5

Tooth position index

A denture tooth position index fabricated with light-polymerized acrylic resin (Shor et al). 2003;89:515-7

Tooth preparation

A comparison of the depths produced using three different tooth preparation techniques (Aminian and Brunton). 2003;89:19-22

Preparation design and margin distortion in porcelain-fused-to-metal restorations (Shillingburg et al). 2003;89:527-32

Tooth wear

Anatomic crown width/length ratios of unworn and worn maxillary teeth in white subjects (Magne et al). 2003;89:453-61

Topical fluorides; *see* Fluorides, topical

Toronto

Implant prosthodontic management of partially edentulous patients missing posterior teeth: the Toronto experience (Attard and Zarb). 2003;89:352-9

Trauma; *see* Wounds and injuries

Tray

Accuracy of open tray implant impressions: an in vitro comparison of stock versus custom trays (Burns et al). 2003;89:250-5

Fabrication of a sectional impression tray and sectional complete denture for a patient with microstomia and trismus: a clinical report (Cura et al). 2003;89:540-3

Treatment outcome

Early functional loading of conical Brånemark implants in the edentulous mandible: a 12-month follow-up clinical report (Kronström et al). 2003;89:335-40

Implant prosthodontic management of partially edentulous patients missing posterior teeth: the Toronto experience (Attard and Zarb). 2003;89:352-9

Prosthetic management of a total glossectomy defect after free flap reconstruction in an edentulous patient: a clinical report (Pigno and Funk). 2003;89:119-22

Trismus

Fabrication of a sectional impression tray and sectional complete denture for a patient with microstomia and trismus: a clinical report (Cura et al). 2003;89:540-3

V

Varnish, fluoride; *see* Fluorides, topical

Veneers

Geographic distribution of porcelain veneer preparation depth with various clinical techniques (Cherukara et al). 2003;89:544-50

An in vitro study of the compressive load at fracture of Procera AllCeram crowns with varying thickness of veneer porcelain (Webber et al). 2003;89:154-60

An interdisciplinary approach for improved esthetic results in the anterior maxilla (Claman et al). 2003;89:1-5

Vertical dimension

The continuing reduction of the residual alveolar ridges in complete denture wearers: a mixed-longitudinal study covering 25 years (Tallgren). 2003;89:427-35

A denture tooth position index fabricated with light-polymerized acrylic resin (Shor et al). 2003;89:515-7

Dimension changes of one-piece frameworks cast from titanium, base metal, or noble metal alloys and supported on telescopic crowns (Gebelein et al). 2003;89:193-200

Dimensional change in complete dentures fabricated by injection molding and microwave processing (Keenan et al). 2003;89:37-44

Vinyls

Composite indirect-direct method for fabricating multiple-unit provisional restorations (Dumbrigue). 2003;89:86-8

Technique for repair of multiple abutment teeth under preexisting crowns (Chan). 2003;89:91-92

W

Waxes

Comparison of condylar guidance setting obtained from a wax record versus an extraoral tracing: a pilot study (dos Santos et al). 2003;89:54-9

The effect of design modifications on the torsional and compressive rigidity of U-shaped palatal major connectors (Green and Hondrum). 2003;89:400-7

Wires

Metal framework modifications to accommodate wrought wire clasps in distal extension removable partial dentures (Krug). 2003;89:79-81

Wounds and injuries

Adjunctive commissure splint therapy: a revised approach (Bedard et al). 2003;89:408-11

Z

Zinc phosphate

Mechanical and physical properties of contemporary dental luting agents (Attar et al). 2003;89:127-34

The retention of full crowns prepared with three different tapers and luted with four different cements (Zidan and Ferguson). 2003;89:565-71

Zirconium

Resin-ceramic bonding: a review of the literature (Blatz et al). 2003;89:268-74